

1. 2/242



HEATHER SOCIETY

**INDEX
of
YEAR BOOK
VOLUME TWO
1972 - 1982**

Digitized by the Internet Archive
in 2014

https://archive.org/details/indexofyearbook00heat_0

INTRODUCTION

INDEX TO the HEATHER SOCIETY YEARBOOK, Volume Two: 1972 - 1982

With the Society's Yearbook providing a mixture of enthusiasts' experience and authoritative academic information, there is a need for a key to this vade-mecum of heather related knowledge. However, it is very propable that I may not have included every particular facet from which Society members, or other users may remember, or require a reference. In these difficult times, the economics of publication do not permit detailed indexes full of cross-references.

Even so, this Index is considerably larger than its predecessor, partly arising from the greater size of each part, but largely due to the series of gazeteers on heather names and the lists of new cultivars. As a result many of the references recorded merely relate to these lists, but they do provide the basic details of the origin of the cited cultivars and regular users will soon come to recognise them. Although only selected references have been provided for other topics e.g. associated plants, it should prove possible to discover further sources by indulging in a little sleuthing from such clues; (almost to encourage this, I have omitted to record any mention of "layering", or even that for the cultivar *Calluna vulgaris* 'Highland Rose').

Each Yearbook is referred to by the last two digits of the year in which it was published e.g. 1982 = (82). Whenever there is a central section of photographs, these have been treated as plates 1, 2, 3 & 4; in other cases, the photographs have been referred to by-page.

This index covers eleven yearbooks which have formed the second volume even though the first had been included in the earlier index of 1963-1972.

R. J. Cleevely

INDEX TO THE HEATHER SOCIETY YEARBOOK VOLUME 2

Part 1	1972;	(i-ii),	1-61,	4 pls.	
Part 2	1973;	(i-ii),	1-63,	4 pls.	
Part 3	1974;	(i-ii),	1-63,	4 pls.	
Part 4	1975:	i-ii,	1-54,	4 pls.	
Part 5	1976:		1-72		
Part 6	1977:		1-60		
Part 7	1978:		1-67,	4 pls. (=pp33-36)	
Part 8	1979:	(i-ii),	1-80,	4 pls.	
Part 9	1980:		1-88,	4 pls.	
Part 10	1981:		1-82,	4 pls.	
Part 11	1982:		1-84,		

Received 9th Apr. 1982.

CONTENTS: YEARBOOK VOLUME 2

SECTION 1: INDEX OF AUTHORS

ARDRON, J.P.	A Valediction: Fred J. Chapple	(73):1-3
	In Memoriam: Hugh C. Prew	(74):1,photo
	Report from Northern Group	(76):30-31
	Summer in Yorkshire 1976	(77):41-43
	Report from Northern Group	(75):29-30
BARRACLOUGH, K.C.	(Letter) St. Kilda Heathers	(75):33-34
BEZZANT, Mrs.E.H. (Evelyn)	The West of Scotland Group is launched	(72):6-7
	Some Conifers for the Heather Garden	(73):40-41
	Report from West of Scotland Group	(75):30
BOWERMAN, A.H.	Early days at Champs Hill	(72):4-6
	Jottings from the Chairman	(75):4-5
	Greetings from the Chairman	(76):4-5
	From the Chairman	(77):5
BOXALL, Mrs. M.L. (Molly)	Foliage, Flowers and Heathers	(76):14-15
BOXHALL, B.	Queen Margaret's College, Edinburgh	(81):5-6
	Plant Labels for your heathers (Gilridge pattern)	(77):9-10
BREMNER, M.	Reports from Local Groups: West of Scotland Group	(76):30
BRICKELL, C.D.	The President writes	(79):2-3
BRIDGLAND, J.	Damage in Members Gardens in the Winter of 1978-79	(80):15
BRIEN, R.J.	St. Kilda Heathers	(74):4-7
BROSE, Curt	Should we manure our Heathers?	(80):32-36
BRUMMAGE, J.H.	Heathers in the Winter of 1962-63	(80):22
CASSELS, K.A.H.	Heathers in the Hebrides	(73):9-14
	Cape Heaths in the Hebrides	(77):10-12
CHALK, D.	The Good Companions - Hebes	(79):18-20
CHAPPLE, F.J.	Heather Everywhere	(73):3-4
	Heathers in the Winter of 1962-1963	(80):20-21
CHARRINGTON, Sir John	Experience in Summer 1971	(72):3
	Cinereas	(73):8-9
	The President Writes	(74):3-4
		(75):4
	The President Writes - - Is not the Heather Society International?	(76):3-4
	Heathers in the Winter of 1962-1963	(80):19-20
CHATELAIN, Gerda	For the Love of Heather	(75):25-26
CHATELAIN, G. & R.	On with the motley	(76):26-29
CHATELAIN, G.A. & R.G.	Some Random Notes	(78):44-46
CLANCY, T.	Potting On	(79):52-54
COLMEGNA, Mme V.	Heathers in the Swiss Alps	(73):22-25

CONNELLY, Peter	Heathers and the Camera	(75):27-28
CRABBIE, D.	A blossom there blows that scoffs at the snows	(72):17-19
CROSS, J.E.	Calluna variations	(73):15-17
DAESDONK, H. van	Rooting of Heather Cuttings	(76):20-23
DAVIS, P.G.	The Evolution of a Heather Garden	(76):8-11
EASTERN DAILY PRESS	Heath Expert finds Norfolk ideal: B.G. London at Home	(73):28-29 Plate IV
EDGE, D.	The establishment of rooted cuttings of <i>Erica</i> and <i>Calluna</i> cultivars	(79):49-51
EMBERSON, Ian M.	The Old Age of Heather	(74):10-11
EVANS, A.	Edinburgh Botanic Garden	(74):20-22
EVERETT, Mrs. Daphne	Famous Heather Nurseries - Famous Heather Names	(82):50-59
FARRAH, Mrs. Beryl	Heather Wine	(82):25-26
FULCHER, Lily & Harry	Farnham 1975 (Heather Society Conference)	(76):5-7
GAMBEE, Eleanor B.	An American Hospital Garden	(72):8-11
GILLESPIE, J.W.	Growing Heathers at the Sussex Coast	(81):7-9
GIMINGHAM, C.H.	Ecology of Heathers	(73):26-27
GODBOLT, Edith	Report from the Weald & Thanet Group	(76):32-33
GOODE, Mrs. D.	The Kiwis are coming	(77):24-25
GRAY, Dr. Violet	An Evergreen Garden in Essex	(80):29-32
GRIFFITHS, Dr. J.	Thoughts on an Ageing Heather Garden	(81):9-11
	Observations of Lime Sensitivity in young plants of some <i>Erica</i> , <i>Calluna</i> and <i>Daboecia</i> cultivars	(81):65-68)
HALL, J.	Book Review: Heather Trials 1971-75	(77):55
HAMER, F. & VICKERS, G.P.	Pruning Heathers	(73):29-32
HARDING, W.F.W.	Heathers in the Commonwealth War Cemeteries	(78):23-26
HARPER, Pamela	Letter from America	(73):20-22
HAYDEN, Mrs. R.	Mary Delany 1700-1788 and her paper mosaicks	(76):11-14
	Annual Conference, Loughborough University, September 1981	(82):8-10
HODKINSON, Dr. I.	The Heather-feeding Psyllids or Jumping Plant-lice of the genus <i>Strophingia</i>	(82):28-31
HORNUNG, Hans	The disappearing Heaths	(74):15-17
HUMBLE, B.H.	A Cairngorm Rock Garden	(75):12-14

JONES, A.W.	Some Random Thoughts on Rooting Cuttings	(75):36-41
	Report from South-West Group	(76):34
	Observations on Lime Tolerance	(77):38-40
	A famous nursery: Maxwell & Beale	(78):13-17
	<i>Erica ciliaris</i> and <i>Erica x watsonii</i> in Dorset	(78):49-52
	Book Review: <i>Pocket Guide to Heather Gardening</i> (4th Edn. 1978)	(79):25-27
	Sharp eyes help to solve the mystery of <i>Erica 'Stuartii'</i>	(79):33-34
	The Classification of hardy winter - flowering heaths with notes on <i>Erica x darleyensis</i>	(79):38-46
	Damage in Members Gardens in the Winter of 1978-79	(80):17
	Review of Winter Experience	(80):23-24
	Book Review: <i>Wisley Handbook 3 - Heaths and Heathers</i>	(80):38-40
	One, Two or Three Cultivars?	(80):59-64
	(Comments on <i>Erica ciliaris</i>)	(82):36-37
	Editorial	(79):1-2
		(80):3-4
		(81):3-4
		(82):3-4
JONES, Mrs. D.	Plas Tanybwllch, Maentwrog	(77):7-9,33
JONES, Mrs. Mary	Heathers in the Great Drought	(77):43-45
JOYNER, P.L.	Never a Dull Moment	(78):21-23
	Have a Go with Cape Heaths	(79):21-23
	<i>Erica manipuliflora</i>	(80):18-19
JULIAN, T.A.	Damage in Members Gardens in the winter of 1978-79	(80):16
	Winter Damage at Harlow Car.	(80):9-14
	Black Polythene Mulches	(81):63-65
KERSHAW, Mrs. Betty	Seeds and Sophistry	(73):32-34
KIERSTEAD, S.	Damage in Members Gardens in the Winter of 1978-79	(80):15
KIRCHER, Fritz	Heather Gardens	(78):19-21
KITCHEN, F.B.	Heathers in a Semi-Formal Garden	(74):17-19
LEAD, W.L.	<i>Erica cinerea</i> 'Redriggs'	(73):39-40
LEE, Mrs. Pamela B.	Report from Mid-Southern Group	(76):33-34
	The Secretary's Report	(79):5-6
		(82):6-8
LLOYD,R.J.H.	(Letter) Time for Cuttings	(75):34

LONDON, B.G.	Mid-November in a Norfolk heather garden	(72):37
	Book Review: Conifers for your Garden	(73):27-28
	Norfolk Group Diary of 1974	(75):31-32
	Report from the Norfolk Group	(76):32
	To Hoe or not to Hoe	(76):51
LUCAS-PHILLIPS, Brig. C.E.	Windlesham Court	(77):22-23
LUMLEY, G.I.	<i>Phytophthora cinnamomi</i>	(78):32
	Damage in Members Gardens in the Winter of 1978-79	(80):16-17
MacKAY, A.	Save Water - Save Heathers - Save Money	(77):47-48
MacLEOD, Mrs. C.I.	Secretary's Report	(72):1-2
	Heather Society: Secretary	(73):4-6;6-7
	Heaths at the Cape	(73):34-36
	Report of AGM 1976	(77):6
	Obituary: Sir John Charrington (with photo)	(78):6-7
	J.P. Ardron: A tribute	(79):6-7
McCLINTOCK, David	Personal names used for our hardy heathers	(72):33-36
	Additional Personal and Geographical Names for Hardy Heathers	(76):54-57
	Personal and Place Names used for Hardy Heathers. Second Supplement	(79):55-60
	Personal and Place Names used for Hardy Heathers. Second Supplement	(81):73-74
	Recent Writings on Heathers 1971	(72):42
		1972 (73):44-45
		1973 (74):37-38
		1974 (75):45
		1975 (76):58-59
		1976 (77):51-52
		1977 (78):57 & 54
		1978 (79):61-65
		1979 (80):72-76
		1980 (81):76-78
		1981 (82):59-62
	Gazeteer of Heather Names - Part 1	(73):42-44
		Part 2 (74):35-37
		Part 3 (75):42-44
	Book Review: Ecology of Heathers	(73):26-27
	Book Review: The Peat Garden and its plants	(75):21-22
	Book Review: Het Heidetuinboek	(75):24-25

McCLINTOCK, David (continued)

- Book Review: Heideplanten en Heidentuinen (76):29
- Book Review: Les Bruyeres de Plein Air (78):53
- Book Review: Irish Gardening and Horticulture (80):40-41
- Book Review: Ornamental Shrubs (82):26
- Book Review: An Introduction to Heathland Ecology (76):29-30
- Daboecia* 'Jack Drake' (75):15-16
- The Double-flowered Heathers (77):25-37
- On the Naming of Heathers (78):26-29
- Calluna* 'Darleyensis' and *Erica scoparia* 'Minima' please. (Int.Regn.Authority) (79):27-30
- Calluna* 'Elegantissima Walter Ingwersen' (80):43-45
- Erica sicula* (80):45-55
- The Bell Heather in Madeira (81):48-51
- Why *Erica carnea* is the name to use for the Winter Heath (82):23-25
- A double form of *Daboecia cantabrica* (82):32-33
- The 'Splendid' Bell Heathers (82):37-42
- MAGINESS, Mrs. D. After the Drought (78):43-44
- The Gall Midge *Wachtiella ericina* (81):21-22
- Cuscuta epithymum*, Lesser Dodder (82):26-27
- MAGOR, Maj. E.W.M. A Quest for the White Dorset Heath (80):55-59
- Riddles of the Irish Heaths - An Irish Tour (81):52-62,pl.4
- MALIN, B.R. Bulb Associations (76):50-51
- METHENY, Mrs. D. *Erica australis* seedlings in the garden (77):15-17
- (Drawings of Heather species) (82):42-46
- MILLER, Philip (1759) An Early Note on Heathers (82):27-28
- MIWA, Satoshi Growing Cape Heaths in Japan (74):8-9
- MOORE, John Over-wintering Cape Heaths (82):16-20
- MORGAN, Sir F. From hard-court to heather (72):11-13
- MORRIS, Dr. M.G. The Heather Beetle (81):23-28
- NELSON, Dr. E.C. Book Review: A Guide to the Naming of Plants (81):18-28
- Erica ciliaris* in Connemara, November 1981 (82):34
- Newspaper Cutting Land of Hills and Imported Heather (76):71
- NICHOLSON, H.L. Netherlands Notes (72):25-27
- J.W. Sparkes, An Appreciation (82):10-12

Pacific North-West	Damage in Members Gardens in the Winter of 1978-79	(80):16
PARRIS, Mrs. A.	Heathers and Football Studs	(74):11-13
	Preliminary note on a cross between <i>Erica erigena</i> and <i>E. carnea</i>	(76):48-49
	Further note on a cross between <i>Erica erigena</i> and <i>E. carnea</i>	(77):10
	Further notes on the induced <i>Erica erigena</i> x <i>E. carnea</i> hybrids	(78):42-43
	Further notes on <i>E. x darleyensis</i> induced Hybrids	(80):67-70
	"Au Revoir" in "Down Under"	(81):75
PATRICK, Leslie B.	Making a garden in Argyll	(74):23-25
PATRICK, P.S.	Book Review: The Story of a Garden	(73):25-26
PLATT, J.	New Introductions	(77):48-51
		(78):40-41
		(79):46-49
		(80):64-67
		(81):71-73
		(82):47-49
PREW, H.C.	<i>Calluna vulgaris</i> and soil fertility	(72):28-33
RADLEY, R. & D.	Norwich, 1977	(78):11-12, pls.2 & 3
READ, Dr. D.J.	Heathers and their Mycorrhizas	(81):28-43, pls.2 & 3
RICHARDS, D.A.	<i>Phytophthora cinnamomi</i>	(72):13-16
	Mostly <i>Erica maderensis</i> and <i>Daboecia azorica</i>	(76):15-20
ROCHEFOUCAULD, B. de la	Heather in France	(78):17-19
R.S.P.B.	Gorse and Wild Heather	(74):31-32
SCANTLIN, H.M.	Book Review: Heathers in Colour	(75):22-24
SELLERS, B.M.	The Introduction of Cape Heaths to Britain and Europe during the Eighteenth and Nineteenth Centuries; A Brief Historical Review	(82):13-16
SKELMERSDALE, Lord	Small Bulbs in the Heather	(75):10-12
SLINGER, L.S.	Heathers in the Winter of 1962-63	(80):22
SMALL, David	Observations on rooting cuttings	(74):28-31, pls.2 & 3
SMALL, D.J.	Use of Phosphoric Acid	(75):35-36
	Our Experience of using Mist Equipment	(76):23-24
	A Review of Mist Propagation Equipment	(76):25-26
	Poor mixed-up 'Rosalind'	(76):44-45
	The Control of <i>Phytophthora</i> and <i>Rhizoctonia</i>	(79):30-33

SMALL, Ian	First Impressions	(76):7-8
SMALL, Dr. W.A.W.	<i>Phytophthora cinnamomi</i>	(77):20-22
SMITH, P.M.	Die-back and wilt disease caused by <i>Phytophthora cinnamomi</i>	(78):37-39
STEELE, R.M.	Heather Trials in Eastern Canada	(72):22-25
STEVENS, F.J.	Heathers in the Winter of 1962-63	(80):21-22
STOW, A.J.	Grantley Hall, 1971: Heather Society Weekend Conference	(72):19-21
	Westham House, 1972	(73):6-8
	Obituary: P. S. Patrick	(75):1-3
	Farewell to a 'Man of Letters'	(75):2-3
	Tea at Champs Hill	(75):15
	Use of Phosphoric Acid	(75):35
	Heather Garden Tools	(76):52
	Top of the Pops	(76):52-53
	Editorial	(77):3-4
	Editorial	(78):3-4
	Pulverised Bark	(78):52-53
	Losehill Hall 1978	(79):7-10
	Weymouth 1979	(80):5-8
STOW, Mrs. J.M.	Oh! Jane - Why November?	(76):44
STREET, Harold	A report from the Midlands	(75):30-31
	Report from the Midlands Group	(76):32
	Living with Lime	(79):15-18
	Conifers with Heather	(81):12-13
STROVER, Mrs. E.D.	Heather and Wildlife	(76):34-40
TAYLOR, A.	Report from the Technical Committee	(75):32-33
TURNER, A.S.	Heathers from Seed. An interesting Experiment	(73):37-39
TURNER, E.R.	The Treasurer's Report	(74):2-3
TURPIN, Maj.-Gen.P.G.	Heather Gardens: No. 1 Around London	(75):19-20
	Heather Gardens: No. 2 Richmond Park	(76):45-47
	Heather Gardens: No. 3 Windsor Great Park	(77):12-15
	Heather Gardens: No. 4 The Royal Botanic Gardens, Kew (Surrey)	(78):46-49
	Heather Gardens: No. 5 Wakehurst Place, Sussex	(79):10-13
	Heather Gardens: No. 6 Champs Hill, Coldwaltham, Sussex	(80):25-28
	Heather Gardens: No. 7 The Royal Horticultural Society's Gardens, Wisley (Surrey)	(81):14-17

TURPIN, Maj.-Gen.P.G. (continued)		
	Heather Gardens: No. 8	
	The Commonwealth War Graves	
	Military Cemetery, Brookwood	(82):20-22
	Message from the Chairman	(78):10
	Book Review: The Heather Garden	(79):24-25
	The Tree Heaths 'Gold Tips' and	
	'Pink Joy'	(79):34-38
	From the Chairman	(79):4-5
		(80):4-5
		(81):4-5,pl.1
		(82):4-5
	Book Review: "La Bruyere"	(80):37-38
	The Bud-Flowering forms of <i>Calluna</i>	(80):41-43,pl.1
	<i>Erica arborea</i> 'Alpina'	(81):43-47,pl.2
		& 3
	An abnormal form of <i>Erica vagans</i>	(82):33-34
Technical Committee	Secondary Reference Collections	(80):70-72
UNDERHILL, T.		
	Judging of Heathers	(75):17-19
VICKERS, G.P.		
	Harlow Car Heather Trials	(73):18-19
	Dartington Hall, 1973	(74):25-28,pl.1
		& 4
	Book Review: The Pocket Guide to	
	Heather Gardens (3rd Edn, 1973)	(74):33-34
	Harlow Car Heather Trials	(76):40-43
WESTERMANN, H.		
WILSON, K.		
	Heathers in Germany	(77):14-20
	The Botanical Gardens, The University	
	of British Columbia	(75):5-9
WOOLNER, Lionel R.	<i>Erica scoparia</i>	(74):13-15
YATES, G.		
	Ericaceous Plants on Alkaline soils	(77):41
	How did your heathers stand the	
	Drought?	(77):45-47
	New Heathers - A plea to Members	(78):29-31
	The Pros and Cons of Moving	(79):13-14
	A Valediction: Fred J. Chapple	(73):1-3
	In Memoriam: Hugh C. Prew	(74):1, photo
	J. P. Ardron: A Tribute	(79):6-7
	J. W. Sparkes, An Appreciation	(82):10-12
	Obituary: Sir John Charrington	(78):5-7
	Obituary: P. S. Patrick	(75):1-3

SECTION 2: INDEX OF SPECIES, CULTIVARS AND OTHER REFERENCES

'Aberdeen', <i>Calluna vulgaris</i>	(76):56
'Aberfoyle', <i>E. cinerea</i>	(77):50
<i>Abies balsamea</i> 'Hudsonia'	(73):41
<i>Acer griseum</i>	(74):19
acidity of soil, increasing of	(75):35
'Ada S. Collins', <i>E. x darleyensis</i>	(79):42-44
'Adrie', <i>Calluna vulgaris</i>	(76):54;(80):42
'Adrienne Duncan', <i>E. carnea</i>	(76):55;(79):44
Aitken, Mr. (Orchardbank Nursery)	(81):5
'Alan Coates', <i>E. carnea</i>	(79):44
'Alba', <i>Daboecia</i>	(75):8
'Alba', <i>Daboecia cantabrica</i>	(81):68
'Alba', <i>E. tetralix</i>	(74):16
'Alba', <i>E. vagans</i>	(73):23
'Alba Carlton', <i>Calluna vulgaris</i>	(78):16
'Alba Elegans', <i>Calluna vulgaris</i>	(77):34
'Alba Flore Pleno', <i>Calluna vulgaris</i>	(77):30
'Alba Globosa', <i>Daboecia cantabrica</i>	(77):40
'Alba Minor', <i>E. cinerea</i>	(73):8
'Alba Mollis', <i>E. tetralix</i>	(75):8
lime sensitivity of	(81):68
'Alba Plena', <i>Calluna vulgaris</i>	(73):38;(74):16;(75):7;(77):19; (78):16,27,30,34;(82):57
lime sensitivity of	(81):68
'Alba Praecox', <i>Calluna vulgaris</i>	(77):19
'Alba Rigida', <i>Calluna vulgaris</i>	(75):9
lime sensitivity of	(81):68
'Alba Tomentosa', <i>Calluna vulgaris</i>	(79):12
'Albert's Gold', <i>E. arborea</i>	(79):49,55;(81):44
'Alcester', <i>Calluna vulgaris</i>	(73):42
'Alex Warwick', <i>Calluna vulgaris</i>	(76):56
'Alison Yates', <i>Calluna vulgaris</i>	(79):58
'Allandale Pink', <i>E. tetralix</i>	(82):49
'Allegro', <i>Calluna vulgaris</i>	(81):71
'Almi', <i>Calluna vulgaris</i>	(79):55
'Alpina', <i>E. arborea</i>	(73):42;(74):21;(77):14,39;(79):11,35; (81):15,17,43-47
'Alportii', <i>Calluna vulgaris</i>	(74):16;(75):9;(76):37
'Alportii Flore Pleno', <i>Calluna vulg.</i>	(77):37
'Alportii Praecox', <i>Calluna vulgaris</i>	(77):19;(81):71
'Altadena', <i>E. carnea</i>	(79):48,58;(81):16
'Amanda Wain', <i>Calluna vulgaris</i>	(78):40;(79):58
<i>americana</i> , <i>Andromeda</i>	(73):42
Amphichromy	(76):44-45
'Amy Doncaster', <i>E. australis</i> (error)	(80):65

anandra, <i>E. tetralix</i>	(82):34
<i>Andromeda</i>	
'Maryland'	(75):42
'Pennsylvania Branching'	(75):42
<i>Andromeda americana</i>	(73):42
<i>Andromeda canadensis</i>	(73):43
<i>Andromeda Daboecia</i> (= syn. of <i>Daboecia</i> <i>cantabrica</i>)	(76):13
<i>Andromeda pennsylvanica</i>	(75):42
<i>Andromeda scotica</i>	(75):43
'Angarrack', <i>E. cinerea</i>	(79):58
'Anja Blum', <i>E. cinerea</i>	(79):55
'Anna', <i>Calluna vulgaris</i>	(81):74
'Annemarie', <i>Calluna vulgaris</i>	(81):74;(82):47
'Anne Dobbin', <i>Calluna vulgaris</i>	(81):71,74
'Ann Sparkes', <i>E. carnea</i> (6th out of 10 in 1976)	(76):53;(79):4;(81):12;(82):12
'Anthony Davis', <i>Calluna vulgaris</i>	(76):27,54;(78):45
'Apple Blossom', <i>E. cinerea</i>	(73):8;(75):8;(78):15;(82):57
'Applecross', <i>Calluna vulgaris</i>	(76):56;(77):32;(81):71
'Apricot Charm', <i>E. cinerea</i>	(78):46
<i>aragonensis, Erica</i>	(73):42
<i>arborea, Erica</i>	(73):23,42;(74):21;(77):14; (79):35,37-8;(81):15,17,43-47
'Archie Graham', <i>E. x darleyensis</i>	(79):50
<i>arctica, Calluna vulgaris</i>	(73):42
ARDRON, J.P.	(73):1-3;(74):1;(75):29-30;(76):30-3 (77):41-43;(79):1,6-7,pl. 4
'Ardy', <i>E. tetralix</i>	(76):54
ARENDS, Georg (Wuppertal)	(77):19
Argyllshire, heathers in	(74):23-25
'Arina', <i>Calluna vulgaris</i>	(76):54
'Arne', <i>E. ciliaris</i>	(73):42;(76):56
'Arran Gold', <i>Calluna vulgaris</i>	(73):42;(76):27;(77):11;(78):46
'Arthur Johnson', <i>E. x darleyensis</i>	(75):8;(79):44
'Arthur Pooley', <i>Calluna vulgaris</i>	(79):57
'Ashgarth Amber', <i>Calluna vulgaris</i>	(73):42
'Ashgarth Amethyst', <i>Calluna vulgaris</i>	(73):42
'Ashgarth Garnet', <i>E. cinerea</i>	(78):45
Associated plants for Heather gardens	(77):14
'Assoi', <i>E. tetralix</i>	(79):55
'Asturea', <i>E. arborea</i>	(73):42
'Atropurpurea', <i>E. cinerea</i>	(77):19
'Atropurpurea', <i>Daboecia cantabrica</i>	(77):40
'Atrorosea', <i>E. cinerea</i>	(77):19
'Atrorubra', <i>E. carnea</i>	(75):8
'Atrosanguinea (Smith's Variety)' <i>E. cinerea</i>	(75):26;(82):51
'Audrey Morris', <i>E. carnea</i>	(81):74
'August Beauty', <i>Calluna vulgaris</i>	(75):14
'Aurea', <i>Calluna vulgaris</i>	(75):7,13

'Aurea', <i>E. carnea</i>	(74):18;(75):6;(78):44;(79):12,40,42,44
'Aurea', <i>E. ciliaris</i>	(78):15
'Autumn Glow', <i>Calluna vulgaris</i>	(76):27
<i>atlantica</i> , <i>Calluna</i>	(76):56
<i>australis</i> , <i>Erica</i>	(73):23,31,42;(74):21;(77):15-17; (76):56;
Azores, <i>Ericaceae</i> on	(76):17-20
<i>azorica</i> , <i>Daboecia</i>	(73):42;(76):17-19
<i>azorica</i> , <i>Erica</i>	(73):42;(76):18
<i>azorica</i> , <i>E. scoparia</i>	(74):21;(76):20
'Baby Wicklow', <i>Calluna vulgaris</i>	(73):42;(77):29,32
<i>baccans</i> , <i>Erica</i>	(73):14;(76):12;(82):17-20
Background for heathers	(77):13;(81):10,12
'Balbithian White', <i>Calluna vulgaris</i>	(76):56
BACKHOUSE, (of York)	(78):13;(82):52-53
BACKHOUSE, James	(82):52-53
Balkan Heath (= <i>Bruckenthalia spiculifolia</i>)	(81):16;(82):44
'Barbara Phillips', <i>Daboecia cantabrica</i>	(79):57;(81):72
'Barbara Fleur', <i>Calluna vulgaris</i>	(76):54
Bark, Use of pulverised	(78):52-53
'Barnellan', <i>E. cinerea</i>	(79):58
BARRACLOUGH, K.C.	(75):33-34
'Bartinney', <i>E. tetralix</i>	(73):42
'Battle of Arnhem', <i>Calluna vulgaris</i>	(73):42;(78):40;(82):22
<i>bauera</i> , <i>Erica</i>	(73):36;(82):17,18,20
'Bavelaw', <i>Calluna vulgaris</i>	(73):42
'Baylay's Variety', <i>E. cinerea</i>	(78):41
BEALE, Cecilia M.	(80):pl.1
BEALE, H.E.	(78):13;(80):pl.1
'Bearsden', <i>Daboecia</i>	(73):42
'Beechwood Crimson', <i>Calluna vulgaris</i>	(73):42;(78):37,(82):12
Bell Heather (= <i>E. cinerea</i>)	(73):8-9;(74):24;(77):3,44; (82):4-5,37-42
in botanical literature	(82):37-39
in horticulture	(82):39-41
'Ben Nevis', <i>Calluna vulgaris</i>	(77):49
'Ben Rhadda', <i>Calluna vulgaris</i>	(73):42
'Beoley Crimson', <i>Calluna vulgaris</i>	(79):58;(82):12
'Beoley Elegance', <i>Calluna vulgaris</i>	(73):42;(82):12
'Beoley Gold', <i>Calluna vulgaris</i>	(73):42;(75):9,13;(76):53;(82):12
(4th out of 10 in 1976)	
'Beoley Pink', <i>E. carnea</i>	(79):58;(82):12
'Beoley Silver', <i>Calluna vulgaris</i>	(78):45;(79):58;(82):12
Besom Heath (= <i>E. scoparia</i>)	(74):13-15
<i>bethurica</i> , <i>Erica</i> (= <i>E. australis</i>)	(79):58
'Betty MacDonald', <i>E. cinerea</i>	(77):50;(79):56
<i>Betula armini</i>	(77):14
BEZZANT, Mrs. E.H.	(72):6-7;(73):40-41;(75):30

<i>bianonis</i> , <i>Erica</i> (= <i>E. multiflora</i>)	(76):54;(81):74
Bibliography of Heathers	See under Recent Writings on Heathers
<i>biformis</i> , <i>Erica</i>	(81):55
Bilberry	
as enemy of heathers	(81):10
'Birch Glow', <i>E. vagans</i>	(73):42;(76):36;(82):12
'Black Forest', <i>Calluna vulgaris</i>	(73):43
'Blazeaway', <i>Calluna vulgaris</i>	(79):12;(81):68;(82):12
<i>blandifordia</i> , <i>Erica</i>	(82):19
<i>blenna</i> , <i>Erica</i>	(73):35
BLOOM, A.	(73):27-28;(78):12,photo 35
'Blossom Time', <i>E. cinerea</i>	(81):73
'B.M. Goffey', <i>Calluna vulgaris</i>	(79):56
<i>bocquetti</i> , <i>Erica</i>	(80):47;(81):94
'Boreray', <i>Calluna vulgaris</i>	(76):56
'Bognie', <i>Calluna vulgaris</i>	(73):43
'Bonfire Brilliance', <i>Calluna vulgaris</i>	(76):27
Book Reviews	(73)
(Most reviews lack the basic information on date of publication and place)	
	(73):25-28;(74):33-34;(75):21-25;
	(77):55;(78):53;(79):24-25;(80):37-
	(81):18-20;(82):26
'Boskoop', <i>Calluna vulgaris</i>	(73):43
Botanical Nomenclature	See references under Nomenclature
BOWERMAN, A.H. (Chairman of Heather Society 1971-77)	
	(72):4-6;(75):4-5;(76):4-5;(77):5;
	(78):3,10
BOXALL, B.	(77):9-10
BOXALL, M.	(76):6,14-15;(80):7-8
<i>brabantica</i> , <i>Erica</i>	(76):56
<i>brachysepala</i> subf. <i>densa</i> , <i>Calluna vulgaris</i> form	(79):28
'Bradford', <i>Calluna vulgaris</i>	(73):43
'Braemar', <i>Calluna vulgaris</i>	(76):28,56
'Braeriach', <i>Calluna vulgaris</i>	(73):43
'Braeval', <i>Calluna vulgaris</i>	(79):58
'Bransdale White', <i>Calluna vulgaris</i>	(73):43
'Bravie', <i>Calluna vulgaris</i>	(73):43
'Bray Head', <i>Calluna vulgaris</i>	(76):56
BREMNER, M.	(76):30
'Brian Proudley', <i>E. erigena</i>	(79):40,45,48,57
BRICKELL, C.D.	(79):1,2-3,pl.1
BRIDGLAND, J.	(80):15
BRIEN, R.J.	(74):4-7
'Brightness', <i>E. erigena</i>	(73):45;(74):25;(76):48
British Columbia, heathers in	(75):5-9
'Broadstone', <i>E. cinerea</i>	(78):15;(82):57
'Bronze Beauty', <i>Calluna vulgaris</i>	(73):15,17
Brookwood Military Cemetery	(82):20-22

BROSE, Curt	(80):32-36
<i>Bruckenthalia</i>	(76):54
<i>Bruckenthalia spiculifolia</i> (Balkan Heath)	(81):16,18;(82):44,pl.2
BRUMMAGE, J.H.	(80):22
BRUMMAGE, Neil	(78):12;(79):2
'Bucklebury Red', <i>E. cinerea</i>	(79):48,58
Bud-flowering forms, <i>Calluna</i>	(80):41-43
'Bud Lyle', <i>Calluna vulgaris</i>	(76):27,55
Bulbs with Heathers	(75):17;(76):50-51
Bulletin of Heather Society, function of	(82):1,8
Burfitt's Dwarf, <i>E. ciliaris</i>	(74):25;(76):54
BURFITT, Joyce	(77):3
'Bunsall', <i>Calluna vulgaris</i>	(73):43,56
'Buxton Snowdrift', <i>Calluna vulgaris</i>	(73):43
'Caerketton White, <i>Calluna vulgaris</i>	(73):16;37-38,43
<i>caffra</i> , <i>Erica</i>	(76):54;(77):11;(82):19
'Cairn Valley', <i>E. cinerea</i>	(73):43
'Caldy Island', <i>E. cinerea</i>	(73):43
'Calf-of-Man', <i>Calluna vulgaris</i>	(73):43;(74):5
'California', <i>Daboecia</i>	(73):43
'Californian Midge', <i>Calluna vulgaris</i>	(73):43;(81):68
'Callender', <i>E. cinerea</i>	(79):58
<i>Calluna</i>	
amphichromy in	(76):44-45
in Argyllshire	(74):24
Bud-flowering forms	(80):41-43
Cuttings of	(76):22
Flowers of	(80):5
on Mull of Kintyre	(75):34
on St. Kilda	(74):5-7
Winter Damage	
in North America	(80):15-16
In U.K.	(80):9-11,16
<i>Calluna atlantica</i>	(76):56
<i>Calluna</i> var. <i>olbiensis</i>	(75):42
<i>Calluna vulgaris</i>	
on Alkaline soils	(77):39
Bud-flowering forms	(82):5
Cuttings of	(74):29-30
Double-flowered forms	(76):43;(77):25-37;(80):5
chronology of	(77):29-32
foliage variations	(77):27 & 34
H.E. Beale Group	(77):34-35
History of	(77):25;29;(82):4
Summary Table of	(77):29-32
Double Whites	(77):26;(82):22
Drought, Effect on	(77):3
Earliest White	(73):16

Calluna vulgaris (continued)

Ecology of	(73):26-27
Flowers of Seedlings	(73):16
Foliage Reversions	(73):27
Foliage of Seedlings	(73):17
Grey-Foliage Group	(75):34;(76):43
Irregularities in Varieties of	(73):15-17
Late-Flowering in	(76):27
Lime sensitivity of cultivars	(81):67-68
Peculiarities of	(73):16-17;(82):4
Pruning of	(73):30-31;(76):42-43
Red-coloration forms	(76):27
Seed/Seedlings of	(73):16-17;37-39
Tomentosa form	(75):34
Use in Military Cemeteries	(82):22
Varieties, Features of	(73):15-17
in Switzerland	(73):24
in U.S.A.	(73):15-17
with bulbs	(75):11
Winter Damage, Resistance to	(80):9-11

Calluna vulgaris cultivars

'Aberdeen'	(76):56
'Adrie'	(76):54;(80):42
'Alba Carlton'	(78):16
'Alba Elegans'	(77):34
'Alba Flore Plena'	(77):30
'Alba Plena'	(73):38;(74):16;(75):7; (77):19,27,30,34;(78):16;(81):68; (82):57
'Alba Praecox'	(77):19
'Alba Rigida'	(75):9;(81):68
'Alba Tomentosa'	(79):12
'Alcester'	(73):42
'Alex Warwick'	(76):56
'Alison Yates'	(79):58
'Allegro'	(81):71
'Almi'	(79):55
'Alportii'	(74):16;(75):9;(76):37
'Alportii Flore Pleno' (error)	(77):37
'Alportii Praecox'	(77):19;(81):71
'Amanda Wain'	(78):40;(79):58
'Anna'	(81):74
'Annemarie'	(81):74;(82):47
'Anne Dobbin'	(81):71,74
'Anthony Davis'	(76):27,54;(78):45
'Applecross'	(76):56;(77):32;(81):71
'Arctica'	(73):42
'Arina'	(76):54
'Arran Gold'	(73):42;(76):27;(77):11;(78):46
'Arthur Pooley'	(79):57
'Ashgarth Amber'	(73):42

Calluna vulgaris cultivars (continued)

'Ashgarth Amethyst'	(73):42
'August Beauty'	(75):14
'Aurea'	(75):7,13
'Autumn Glow'	(76):27
'Baby Wicklow'	(73):42;(77):29,32
'Balbithian White'	(76):56
'Barbara Fleur'	(76):54
'Battle of Arnhem'	(73):42;(78):40;(82):22
'Bavelaw'	(73):42
'Beechwood Crimson'	(73):42;(76):37;(82):12
'Ben Nevis'	(77):49
'Ben Rhadda'	(73):42
'Beoley Crimson'	(79):58;(82):12
'Beoley Elegance'	(73):42;(82):12
'Beoley Gold'	(73):42;(75):9,13;(76):53;(82):12
'Beoley Silver'	(78):45;(79):48;(82):12
'Black Forest'	(73):43
'Blazeaway'	(79):12;(81):68;(82):12
'B.M. Goffey'	(79):56
'Boreray'	(76):56
'Bognie'	(73):43
'Bonfire Brilliance'	(76):27
'Boskoop'	(73):43
'Brachysepala Densa'	(79):28
'Bradford'	(73):43
'Braemar'	(76):28,56
'Braeriach'	(73):43
'Braeval'	(79):58
'Bransdale White'	(73):43
'Bravie'	(73):43
'Bray Head'	(76):56
'Bronze Beauty'	(73):15,17
'Bud Lyle'	(76):27,55
'Bunsall'	(73):43,56
'Buxton Snowdrift'	(73):43
'Caerketton White'	(73):16;37-8;43
'Calf-of-Man'	(73):43;(74):5
'Californian Midge'	(73):43
Lime sensitivity of	(81):68
'Camla'	(73):43;(77):35;(82):57
'Camlaensis'	(73):43
'Carlton' (= 'Alba Carlton')	(78):16
'Carl Roders'	(74):17;(77):20,31;(79):57
'Carolyn'	(76):54
'Carole Chapman'	(82):12
'Castle of Mey'	(73):43
'Catherine'	(78):40;(79):55
'Cecilia M. Beale'	(82):55

Calluna vulgaris cultivars (continued)

'Chindit'	(79):46
'Christina'	(77):20;(78):46
'Co. Antrim'	(73):43
'Co. Limerick' (Error)	(73):43;(77):37
'Corbett's Red'	(79):55
'Corrie's White'	(76):54
'Cottswood Gold'	(81):74
'County Wicklow'	(73):43;(75):9,13,27-28,pls 1 & 4; (77):26,29;(78):15;(82):57
Lime sensitivity of	(81):68
'Craig Rossie'	(73):43
'Cramond'	(73):43;(77):31,36
'Crastock Heath Variety'	(73):43
'Crimson Glory'	(77):49
'Crimson Sunset'	(78):40
'Crowborough Beacon'	(76):57
'Cunneryensis'	(73):43
'Cuprea'	(75):7,8,13;(78):44
'Cuprea Flora Plena' (Error)	(77):37
'C.W. Nix'	(75):7,9;(76):37;(78):15
'Dainty Bess'	(74):24;(81):68
'Dandy'	(79):57
'Darkness'	(76):37
'Darleyensis'	(73):44;(79):27;(82):51
'Dart's Amethyst'	(79):58
'Dart's Beauty'	(79):58
'Dart's Brilliant'	(79):58
'Dart's Flamboyant'	(79):58
'Dart's Gold'	(76):57;(77):30;(78):40
'Dart's Hedgehog'	(79):58
'Dart's Parrot'	(79):58
'Dart's Silver Rocket'	(76):57;(78):40
'Dart's Squirrel'	(79):58
'Dart's Surprise'	(79):58
'David Eason'	(78):15;(80):41,pl.4;(82):56
'David Hutton'	(76):55
'David Innes'	(76):55
'David Platt'	(77):32;(79):57;(80):64;(81):74
'Dickson's Blazes'	(79):56;(81):71
'Dirry'	(76):54
'Doris Rushworth'	(76):56
'Double-flowered'	(77):25-37
'Dr Murle'	(76):55
'Dr Murray's White'	(76):56
'Drum - Ra'	(73):44;(75):9,14
'Dumosa Flore Pleno' (Error)	(77):37
'Dunkeld White'	(79):58
'Dunnet Lime'	(79):46,58

Calluna vulgaris cultivars (continued)

'Dunnydeer'	(76):57
'Dunoon Queen'	(79):58
'Dunwood'	(79):46,58
'Durfordii'	(73):44
'Edith Godbolt'	(76):55;(77):49
'Elegant Pearl'	(80):45
'Elegantissima'	(80):44
'Elegantissima Walter Ingwerson'	(80):43-45
'Elkstone'	(74):35
'Elsie Frye'	(77):30
'Elsie Purnell'	(73):30;(77):29,31;(82):12
'Emerald Jock'	(81):74
'Eric Eason'	(79):56
'Eric Easton'	(78):40
'Eshaness'	(81):74
'Evelyn'	(76):55
'Fairy'	(76):27;(82):12
'Finale'	(75):26;(76):27
'Fire King'	(80):65
'Firebreak'	(76):8
'Firefly'	(77):49
'Flamingo'	(77):49;(82):12
'Flatling'	(77):49
'Flore Pleno'	(77):25,26
'Foxhollow Wanderer'	(74):35;(75):9
'Foxii Nana'	(73):24
'Frejus'	(74):35
'French Grey'	(74):35
'Ginkel's Glorie'	(74):35;(80):42,pl.4
'Glencoe'	(74):35;(77):32,36
'Glendoick Silver'	(79):59
'Glenfiddich'	(76):57
'Glenlivet'	(76):57
'Glen Mashie'	(79):47,59
'Glenmorangie'	(76):57
'Glen Roy'	(79):59
'Gnome'	(82):12
'Gnome Pink'	(82):12
'Goblin'	(82):12
'Gold Haze'	(74):19;(79):12;(82):12
'Gold Pat'	(82):12
'Gold Turret'	(76):27;(77):49
'Golden Carpet'	(81):68
'Golden Feather'	(74):24;(78):44;(82):12
'Golden Max'	(78):40;(79):57
'Goldsworth Crimson'	(74):35

Calluna vulgaris cultivars (continued)

'Goldsworth Pink'	(74):35
'Gold Turret'	(74):35
'Gottaborg'	(74):35
'Grampian'	(74):36
'Grasmerensis'	(74):36
'Grey Carpet'	(79):47
'Grizzly'	(79):47
'Guinea Gold'	(81):72;(82):12
'Gwenda'	(79):56
'Hamlet Green'	(79):47,59
'Hammondii Aurea'	(82):51
'Happy Sam'	(79):57
'Harlequin'	(77):19
'Harpering'	(74):36
'Harris Tweed'	(76):57
'Harten's Findling'	(76):55;(77):19
'Harry Gibbon'	(80):65;(81):74
'H.E. Beale' (1st in Top Ten)	(73):17,19;(75):7,9;(76):44,53;(77):25; (78):15,24;(82):55
Lime sensitivity of	(81):68
'Heidelberg'	(74):16;(79):59
'Heidetepich'	(77):19
'Heidzwerg'	(74):16;(77):19
'Herbert Mitchell'	(78):40;(79):57
'Hershey's Late'	(73):15;(76):55
'Hester'	(76):55
'Hibernica'	(74):36
'Hiemalis'	(75):9
'Highland Rose'	
'Hilbrook Orange'	(81):72,74
'Hilda Turberfield'	(79):57
'Hyemalis Southcote'	(75):43
'Hirta'	(74):6;(76):57;(82):22
'Hollandia'	(76):57
'Hollandrei'	(74):36
'Hookstone'	(74):36
'Hugh Nicholson'	(82):12
'Humpty Dumpty'	(82):12
'Hypnoides'	(77):15
'Ide's Double'	(79):47,56
'Ilka'	(79):56
'Ineke'	(76):55
'Ingrid Bouter'	(77):30,32
'Inshriach Bronze'	(74):36;(76):27
'Islay Mist'	(76):57

alluna vulgaris cultivars (continued)

'Isobel Dickson'	(76):54
'Isobel Frye'	(79):56;(80):65
'Isobel Hughes'	(77):30,32,49;(79):56
'Jack's Favourite'	(79):56
'Jan'	(79):56
'Jan Dekker'	(76):54;(78):40,46
'Janice Chapman'	(73):38;(82):12
'Japanese White'	(82):47
'Jenny'	(76):55
'J.H. Hamilton'	(75):9;(77):26,29;(78):15;(81):68;(82):56
'Jimmy Dyce'	(76):55;(77):32
'Joan Sparkes'	(77):30;(78):44;(82):12
'John Simmerson'	(79):57
'Johnson's Variety'	(77):39
'Joseph's Coat'	(78):46
'Joy Vanstone'	(82):12
'Julie Ann Platt'	(79):57
'Karin Blum'	(81):74;(82):47
'Kees Gouda'	(81):74;(82):47
'Keswick'	(76):57
'Kinlochruel'	(74):36;(77):27,29,32;(81):16;(82):22
'Kirby White'	(74):36
'Kirsty Anderson'	(79):55
'Kit Hill'	(74):36
'Kramer's Rote'	(82):47
'Kunzmann's Findling'	(76):55
'Kuphaldtii'	(77):19
'Kynance'	(74):37;(78):15;(82):55
'Lady Maithe'	(76):27,55
'Lammerburn'	(74):37
'L'Ancrese'	(79):59
'Lambs Tails'	(82):12
'Laphroig'	(81):74
'Leon'	(79):59
'Lewis Lilac'	(76):57
'Llanbedrog Pride'	(76):57;(77):29,31-32
'Loch na Seil'	(74):37;(77):15
'Loch Turret'	(74):37
'Logan House'	(74):37
'London Pride'	(76):55
'Longfellow'	(79):56
'Long White'	(82):22
'Lumsdaine'	(74):37
'Lüneburg Heath'	(81):74
'Lyll's Late White'	(76):55
'Lyle'	(76):27,55

Calluna vulgaris cultivars (continued)

'Macalla'	(76):57
'Mair's Variety'	(73):30;(76):44
many-flowered	(77):25
'Marie'	(79):56
'Margaret Simmerson'	(79):57
'Marilyn'	(76):55;(80):42
'Marion Blum'	(79):55;(81):72
'Marleen'	(76):55;(80:42,pl.4
'Mauvelyn'	(79):57
'Mayfair'	(75):42
'Michael Fletcher'	(81):74
'Minerva'	(79):57
'Minima Smith's Variety'	(73):15
'Minty'	(76):55
'Miss Paddy'	(76):56
'Mirelle'	(81):74
'Mizzen'	(79):59
'Monstrosa'	(77):25
'Morvarid'	(79):57
'Moss Morar'	(79):59
'Mousehole'	(75):42
'Mrs. E. Wilson'	(77):32;(81):16
'Mrs. J.H. Hamilton' (=J.H.Hamilton)	(78):15
'Mrs. Pat'	(74):24;(75):13,26;(78):15,44;(82):56
'Mrs. R. Graham'	(76):55
'Mrs. R. Green' (error)	(76):55
'Mrs. Ronald Gray'	(78):16
'Mulberry'	(73):34
'Mullardoch'	(76):57
'Mullion'	(75):7,42;(78):15,24;(82):55
lime sensitivity of	(81):68
'Mulloch Mor'	(76):57
'Multicolor'	(74):18,24
'Multiflora'	(77):25
'Multiplex'	(77):25
<i>multisepala</i>	(77):30
'My Dream'	(77):8,25,32;(78):12;(81):16;(82):9,2
'Nassau'	(75):42
'Naturpark'	(75):42;(82):48
'Nicola'	(76):56
'October Crimson'	(82):12
'Oiseval'	(76):57
'Olive Cowan'	(81):74
'Olive Turner'	(76):56;(79):47;(81):71
'Orange Max'	(79):47,57
'Orange Queen'	(79):9;(82):12
'Oxbach Carpet'	(78):40;(79):59
'Oxshott Common'	(75):42

Calluna vulgaris cultivars (continued)

'Parson's Gold '	(79):47,57
'Parson's Grey Selected'	(79):47
'Parson's Spectrum'	(76):56;(79):47
'Penhale'	(75):42;(78):15;(79):29;(82):55
'Penny Bun'	(76):56
'Pentlandii'	(75):42;(79):29
'Pepper and Salt'	(81):72
'Peter Sparkes'	(76):44;(77):29,31;(82):12
lime sensitivity of	(82):68
'Peter Sparkes Improved'	(77):29,32,35-36
'Petra'	(79):57
'Petroushka'	(73):34
'Pewter Plate'	(77):49
'Pink Beale'	(77):31,34-35
'Pink Gown'	(78):40
'Platt's Surprise'	(77):27,32,49;(79):57
'Plena'	(77):25
'Polypetala'	(77):25
'Portugal'	(75):42
'Prolifera'	(77):25
'Prostrate Orange'	(82):12
'Purple Plume'	(77):49
'Purple Sandwood Bay'	(77):49
'Purpurpolster'	(77):19
'Pyrenaica'	(75):43
'Radnor'	(75):43;(77):31
'Ralph Purnell'	(78):44;(82):12
'Rannoch'	(75):43
'Red Devon'	(75):43
'Red Dragon'	(73):34
'Red Max'	(78):40;(79):57
'Red Rug'	(80):65
'Rica'	(74):16;(77):19,50
'Richard Cooper'	(79):55;(80):65
'Rigida'	(73):16
'Robert Chapman'	(73):34,37-38;(74):12;(75):9,13;
on alkaline soils	(82):11,12
'Roland Haagen'	(77):39
'Roma'	(76):55
'Rosalind'	(75):43;(79):60
'Rosebud'	(73):43;(76):44
'Rosebud'	(81):72
'Ross Hutton'	(76):37,55
'Rubra Plena' (Error)	(77):37
'Rubrifolia'	(78):16
'Ruth Sparkes'	(77):27,30,34;(82):12
'Ruth Sparkes Improved'	(77):27,30

Calluna vulgaris cultivars (continued)

St. Kilda strain	(74):5-7
St. Kilda whites	(79):59
'St. Nick'	(76):27;(78):46
'St. Non'	(75):43
'Salmon Leap'	(77):49;(78):46;(82):12
'Salmonoides'	(82):51
'Sandwood Bay'	(75):43
'Scotch Mist'	(75):43
'Schurig's Sensation'	(77):19,29,32;(79):47,57;(82):47
'Sedlanov'	(78):41;(79):59
<i>sepaloides</i>	(77):30
'Serlei'	(75):7
'Serlei Aurea'	(73):29;(75):7,13;(77):19
'Serlei Lavender'	(77):49
'Silver King'	(78):45
'Silver Knight'	(82):12
'Silver Queen'	(76):26;(77):23
'Silver Sandra'	(76):56;(78):41
'Sir John Charrington'	(78):7;(82):11,12
'Sister Anne'	(74):24;(75):13;(81):68
'Skipper'	(80):65
'Snowdon'	(75):43
'Snowflake'	(81):16
'Soay'	(74):6;(75):43;(76):57;(82):22
'Sonja'	(81):74
'Springbank'	(79):48,59
'Spring Cream'	(74):24;(76):53;(82):12
'Spring Torch'	(74):24;(82):12
St.	See at beginning of letter 'S' for these Cultivars
'Summer Orange'	(82):12
'Sunningdale'	(75):43
'Sunset'	(75):9;(82):12
'Susan'	(79):47
'Sutherland Late'	(79):59
'Swabia'	(75):43
'Sylvia'	(79):57
'Sylvic'	(78):41
'Talisker'	(76):57
'Terrick's Orange'	(79):57
'Threipmuir'	(75):43
'Tib'	(81):68;(77):30;(78):16
'Tiptree'	(75):44
'Tom Thumb'	(78):16
'Torogay'	(77):49;(79):59
'Torrisdale Bay'	(79):59
'Torulosa'	(76):27
'Tremans'	(75):44

Calluna vulgaris cultivars (continued)

'Tresco'	(75):44
'Tricolorifolia'	(82):51
'Trink II'	(80):43
'Trinklet'	(77):49
 'Underwoodii'	 (75):9;(80):41,pl.4
'Underwood's Variety'	(77):31,35
 'Victoria'	 (81):74
'Visser's Fancy'	(76):56;(80):42,pl.4
 'Westphalia'	 (75):44
'White Bouquet'	(77):30,32
'White Gown'	(77):11
'White Lawn'	(79):48
'Wickwar Flame'	(75):44;(76):27;(78):46
'Will Ingwersen'	(80):43-45
'Winsley'	(79):59
'Winter Chocolate'	(82):12
'Winter Fire'	(81):72
'Wittmoor'	(81):74
'Wood Close'	(75):44
 'Yvonne Claire'	 (79):58

Callunetum at Lutterloh/Sudheide	(78):20
Camla', <i>Calluna vulgaris</i>	(73):43;(77):35;(82):57
'Camlaensis', <i>Calluna vulgaris</i>	(73):43
'Camla', <i>E. ciliaris</i>	(73):43
<i>canadensis</i> , <i>Andromeda</i>	(73):43
Canary Islands	(74):14;(76):20
<i>canaliculata</i> , <i>Erica</i>	(74):8-9,25;(78):22;(79):22;(82):17-19
<i>candollei</i> , <i>E. erigena</i>	(79):55
<i>cantabrica</i> , <i>Daboecia</i>	(75):8,11;(76):13,56;(77):40; (80):9-10;(81):57;(82):32-33

CAPE HEATHS

in Argyllshire	(74):2-5
in Catalogues c. 1870's	(82):50
in a Cold Greenhouse	(82):18-19
Collectors & Collections of	(82):13-15
Cuttings of	(74):9;(82):17
Damage to	(82):18
Frost	(78):22
Hardiness of	(82):19-20
Hardy species	(82):19-20
in a Heated Greenhouse	(82):19

Cape Heaths (continued)

in Hebrides	(73):12-14;(77):10-12
Introduction & History of	(82):13-15,20
In Japan	(74):8-9
Least Hardy species	(82):19-20
Literature on	(82):14-15,20
natural Habitat of	(73):36
Over-Wintering of	(82):16-20
Propagation of	(76):24;(79):22;(82):17
Pruning of	(79):21
Seed/Seedlings of	(73):14;(74):8-9;(82):17
in South Africa	(73):34-36
Temperature, effect on	(82):18-19
Threat to	(82):15-16
Tip-cuttings of	(74):9
Vulnerable species, list of	(82):15-16
Watering of	(79):21

CAPE HEATH species

<i>Erica baccans</i>	(73):14;(76):12;(82):17-20
<i>Erica bauera</i>	(73):36;(82):17,18,20
<i>Erica blandfordia</i>	(82):19
<i>Erica blenna</i>	(73):35
<i>Erica caffra</i>	(76):54;(77):11;(82):19
<i>Erica caniculata</i>	(74):8-9,25;(78):12;(79):22;(82):17-
<i>Erica cerinthoides</i>	(73):35;(76):12;(82):19
<i>Erica chamissonis</i>	(74):9;(77):12
<i>Erica chloroloma</i>	(74):9
<i>Erica diaphana</i>	(77):12;(82):17,19
<i>Erica discolor</i>	(77):11;(82):19
<i>Erica doliiformis</i>	(82):19
<i>Erica glandulosa</i>	(73):14;(74):9;(78):22;(82):18,20
<i>Erica glomiflora</i>	(82):17,19
<i>Erica gracilis</i>	(74):9;(82):17,19
<i>Erica grandiflora</i>	(76):13
<i>Erica hirtiflora</i>	(74):9;(82):17,18,19,20
<i>Erica hyemalis hybrids</i>	(73):13-14;(77):11,37;(82):19
<i>Erica longiflora</i>	(76):13
<i>Erica mamosa</i>	(82):17-18
<i>Erica mauritanica</i>	(74):9;(75):42;(77):12;(82):19
<i>Erica melanthera</i>	(74):8;(77):12
<i>Erica oatesii</i>	(73):14;(77):12
<i>Erica pageana</i>	(73):12;(79):22;(82):19
<i>Erica patersonia</i>	(73):35;(74):9;(82):17-20
<i>Erica peltata</i>	(82):17,18
<i>Erica perspicua</i>	(74):9
<i>Erica pezize</i>	(74):9;(77):12
<i>Erica pinea</i>	(73):36
<i>Erica plukenetii</i>	(82):13
<i>Erica selaginifolia</i>	(82):17,19,20

Cape Heath species (continued)	
<i>Erica speciosa</i>	(74):9;(82):17,18
<i>Erica taxifolia</i>	(77):12
<i>Erica verticillata</i>	(74):9;(77):12;(82):17,18
'Carlton', <i>Calluna vulgaris</i>	(78):16
'Carl Rodgers', <i>Calluna vulgaris</i>	(74):17;(77):20,31;(79):57
Carna, L. Sheedagh	(81):57
<i>carnea</i> , <i>Erica</i>	(76):10;(81):18,20;(82):23-25
See also main entry under <i>Erica carnea</i>	
'Carnea', <i>E. carnea</i>	(81):68
'Carnea' <i>Erica vagans</i>	(78):15
'Carolyn', <i>Calluna vulgaris</i>	(76):54
'Carole Chapman', <i>Calluna vulgaris</i>	(82):12
Carrickbawn, S.S.I.	(81):54
'Carsis White', <i>E. cinerea</i>	(73):42
'Caryduff', <i>Erica x darleyensis</i>	(73):43;(79):43-44
Cassandra	(73):21
CASSELS, K.A.H.	(73):9-14;(77):10-12
<i>Cassinia fulvida</i>	(76):47
'Castellar Blush', <i>E. australis</i>	(76):56
'Castellar Garnett', <i>E. australis</i>	(76):57
'Castle of Mey', <i>Calluna vulgaris</i>	(73):43
'Catherine', <i>Calluna vulgaris</i>	(78):40;(79):55
Catalogues, early	(82):50,53
'Catherine Graham', <i>E. vagans</i>	(76):55
'C.D. Eason', <i>E. cinerea</i>	(73):8;(75):26;(76):28;(78):15; (82):40-41;56
'Cecilia M. Beale', <i>E. carnea</i>	(78):15;(82):55
<i>Cercis siliquastrum</i>	(76):9
'Cevennes', <i>E. cinerea</i>	(73):43;(75):14;(76):37
'Cevennensis', <i>E. cinerea</i>	see above
'C. G. Best', <i>E. cinerea</i>	(76):28;(78):15;(82):56
CHALK, Douglas	(79):18-20;(79):9
<i>Chamaecyparis pisifera</i> 'Boulevard'	(73):41
'Filifera Aurea'	(81):12
'Plumosa Aurea Nana'	(73):41
<i>Chamaedaphne calyculata</i>	(73):21
CHAPPLE, F.J.	(73):3-4;(76):41;(80):20-21
'Charlotte', <i>E. erigena</i>	(78):16
CHARRINGTON, (Sir) John	(72):3;(73):8-9;(74):3-4;(75):4; (76):3-4;(77):5;(78):8;(80):19-20
Obituary of	(78):5-7, photo;(79):1
CHATELAIN, G. & R.C.	(76):26-29;(78):44-46
CHATELAIN, Gerda	(75):25-26
'Chindit', <i>Calluna vulgaris</i>	(79):46
'Christina', <i>Calluna vulgaris</i>	(77):20;(78):46
'Cecilia M. Beale', <i>E. carnea</i>	(78):15
<i>cerinthoides</i> , <i>Erica</i>	(73):35;(76):12;(82):19
<i>cerinthoides</i> var. <i>Barbertona</i> , <i>Erica</i>	(82):19

- chamissonis*, *Erica* (74):9;(77):12
 'Charles Nelson', *Daboecia cantabrica* (82):32-3
 'Cherry Stevens', *E. x darleyensis* (80):67;(82):58
chloroloma, *Erica* (74):9
 'Christina Macdonald', *E. cinerea* (79):56
ciliaris, *Erica* (73):11,31;(76):10(78):4-9,50-51
 see main entry under *Erica ciliaris*
 (78):15
 'Ciliaris Hybrida', *E. x watsonii* (79):55
 'Cinderella', *Daboecia cantabrica* (73):8-9;(74):24;(77):3,44;
cinerea, *Erica* (82):4-5,37-42
 see also under main entry *Erica cinerea*
 (79):58
 'Claire Wilkinson', *E. carnea* (79):52-54
 CLANCY, T. (74):11-13;(79):15-18;(80):29-32
 Clay, heathers on (74):13
 Claycure, use of (75):27-28
 close-up photography of flowers (73):43
 'Co. Antrim', *Calluna vulgaris* (73):43;(77):37
 'Co. Limerick', *Calluna vulgaris* (76):13
coccinea, *Erica* (Scarlet-flowered Heath) (73):9
 'Coccinea', *E. cinerea* (82):51
 'Coccinea (Smith's Variety)', *E. cinerea* (74):25
 'Coccinea', *E. erigena* (73):7;(76):6;(80):25-28
 Coldwaltham, Pulborough, Sussex (73):43
 'Colligan Bridge', *E. cinerea* (73):22-25
 COLMEGNA, Mme V. (73):43
 'Colstoun', *E. vagans* (73):43
 'Colwall', *E. x darleyensis* (78):23-26
 Commonwealth War Cemeteries, Heathers in (79):16,18-20;(80):8,27-28;(81):12-1
 Companions for Heathers (81):15-17
 See also under Conifers
 (74):24;(75):8;(81):68
 (76):13
 (73):27-28 Book Review
 (81):13
 (73):27-28;40-41;(74):19;(79):11;
 (80):28,30;(81):12-13
 (81):16
 prostrate conifers (73):41
 for trough gardens (73):41
Abies balsamea 'Hudsonia' (73):41
Chamaecyparis pisifera 'Boulevard' (73):41
 'Filifera Aurea' (81):12
 'Plumosa Aurea Nana' (73):41
 (73):40
 (73):41;(81):13
 (79):12
 (73):41
Cryptomeria japonica
Juniperus communis 'Compressa'
Juniperus conferta
Juniperus sabina 'Tamariscifolia'

Conifers (continued)	
<i>Picea abies</i> 'Gregoryana'	(73):41
<i>Picea glauca</i> 'Albertiana Conica'	(73):41
<i>Picea mariana</i> 'Nana'	(73):41
<i>Picea pungens</i> 'Prostrata'	(73):40
<i>Pinus sylvestris</i> 'Aurea'	(74):19
<i>Pinus sylvestris</i> 'Beauvronensis'	(73):41
<i>Thuja occidentalis</i> 'Aurea Nana'	(81):12
'Rheingold'	(73):41;(81):12
<i>Thuja plicata</i> 'Rogersii'	(73):41
<i>Tsuga canadensis</i> 'Minuta'	(81):16
CONNELLY, Peter	(75):27-28
Connemara, Eire	(82):34-37
'Connemara', <i>E. x praegeri</i>	(73):43
'Connemara', <i>E. x stuartii</i>	(82):23
'Contrast', <i>E. cinerea</i>	(76):28
Control of Heather Diseases	(79):30-33;(82):27
COOKE, Graham	(82):9
'Cora', <i>Daboecia x</i>	(76):54
'Corbett's Red', <i>Calluna vulgaris</i>	(79):55
'Corfe Castle', <i>E. ciliaris</i>	(73):43;(74):25
'Cornish Cream', <i>E. vagans</i>	(73):43
Cornish Heath	see under <i>Erica vagans</i>
Cornwall	(80):55
'Corrie's White', <i>Calluna vulgaris</i>	(76):54
<i>corsica</i> , <i>Erica</i>	(76):57
Corsican Heath	see under <i>Erica terminalis</i>
'Cottswood Gold', <i>Calluna vulgaris</i>	(81):74
'County Antrim', <i>Calluna vulgaris</i>	see under 'Co. Antrim'
'County Limerick', <i>Calluna vulgaris</i>	see under 'Co. Limerick'
'County Wicklow' <i>Calluna vulgaris</i>	(73):43;(75):9,13,27-28,pls.1 & 4; (77):26,29;(78):15;(81):68;(82):57
'Covadonga', <i>Daboecia cantabrica</i>	(79):58;(82):48
CRABBIE, D.	(72):17-19
'Craig Rossie', <i>Calluna vulgaris</i>	(73):43
Craigamore, Eire	(81):52,54
'Cramond', <i>Calluna vulgaris</i>	(73):43;(77):31,36
'Crastock Heath Variety', <i>Calluna vulgaris</i>	(73):43
'Crimson Glory', <i>Calluna vulgaris</i>	(77):49
'Crimson Sunset', <i>Calluna vulgaris</i>	(78):40
'Cripples Ease', <i>E. cinerea</i>	(73):43;(82):54
CROSS, J.E.	(73):15-17
Cross-leaved Heath	See under <i>Erica tetralix</i>
Crowberry	See under <i>Empetrum nigrum</i>
Crowborough, East Sussex	(77):24-25
'Crowborough Beacon', <i>Calluna vulgaris</i>	(76):57
<i>cruenta</i> , <i>Erica</i>	(78):60;(82):19
<i>Cryptomeria japonica</i>	(73):40
'Cunneryensis', <i>Calluna vulgaris</i>	(73):43

'Cuprea', <i>Calluna vulgaris</i>	(75):7,8,13;(78):44
'Cuprea Flora Pleno', <i>Calluna vulgaris</i>	(77):37
<i>curviflora</i> , <i>Erica</i>	(76):13;(82):17,18,20
<i>Cuscuta epithymum</i>	(82):26-27
Cuttings of Heathers	See under Heathers
'C.W. Nix', <i>Calluna vulgaris</i>	(75):7,9;(76):37;(78):15
Cyrenaica, heathers in	(80):45-55
<i>cyrenaica</i> , <i>Erica sicula</i> ssp.	(80):54-55
<i>Daboecia</i>	
in Azores	(76):17
cuttings of	(76):19
double forms of	(82):4
effect of drought on	(77):3
in dry summer	(76):10
propagation of	(82):32
pruning of	(73):32
in pure sand	(74):18
<i>Daboecia</i> hybrids	(75):15-16
hybrid seedling No. 1	(75):16
(= syn. of 'William Buchanan')	
hybrid seedling No. 2	(75):16
seedling No. 3	(74):18;(75):16
(= syn of 'Jack Drake')	
<i>Daboecia</i> cultivars	
'Alba'	(75):8
'Bearsden'	(73):42
'California'	(73):43
'Cora'	(76):54
'Donard Pink'	(73):44
'Eskdale Blea'	(76):57
'Eskdale Blonde'	(76):57
'Eskdale Maggie'	(76):57
'Hookstone Purple'	(74):36
'Jack Drake'	(74):18;(75):15-16;(76):53,54
'Praegerae'	(75):8
'Scotica'	(77):50
'Silverwells'	(76):57
'Snowdrift'	(77):15
'Tabramhill'	(77):49
'Tully'	(75):44
'Wijnie'	(76):56;(82):48
'William Buchanan'	(74):18;(75):16;(76):37;(77):40,50
'William Buchanan Gold'	(78):45
<i>Daboecia azorica</i> x <i>D. cantabrica</i>	(77):50
<i>Daboecia azorica</i>	(73):42
In Azores	(76):17-19
white forms	(76):17-19

<i>Daboecia cantabrica</i>	(75):8,11;(76):13,56
on alkaline soils	(77):40
double form of	(82):32-33
in Ireland	(81):57
winter damage to	(80):9-10
lime sensitivity of	(81):68
Cultivars	
'Alba'	(81):68
'Alba Globosa'	(77):40
'Atropurpurea'	(77):40
'Barbara Phillips'	(79):57;(81):72
'Charles Nelson'	(82):32-33
'Cinderella'	(79):55
'Covadonga'	(79):58;(82):48
'Early Bride'	(80):65
'Heather Yates'	(79):58
'Hookstone Purple'	(74):36;(77):40
'Polifolia'	(81):68
'Rainbow'	(77):50
'Waley's Red'	(79):58;(82):48
'White Carpet'	(77):49
'Wijnie'	(76):56;(82):48
<i>Daboecia cantabrica</i> x <i>D. azorica</i>	(77):50
<i>Daboecia pennsylvanica</i>	(75):42
<i>Daboecia</i> x <i>scotica</i>	
winter damage	(80):9
lime sensitivity of	(81):68
'Jack Drake'	(81):68
'Mrs. H.V. Manning'	(79):56
'Silverwells'	(78):41
'Tabramhill'	(79):59
'William Buchanan'	(81):68
DAESDONK, H. van	(76):20-23
'Dainty Bess', <i>Calluna vulgaris</i>	(74):24;(81):68
dallimorei, <i>Erica</i>	(79):56
'Dandy', <i>Calluna vulgaris</i>	(79):57
'Darkness', <i>Calluna vulgaris</i>	(76):37
'Darley Dale', <i>E. cinerea</i>	(73):44
'Darley Dale', <i>E. x darleyensis</i>	(78):25;(79):44;(80):70;(82):51
'Darleyensis', <i>Calluna vulgaris</i>	(73):44;(79):27;(82):51
<i>darleyensis</i> , <i>E. mediterranea</i>	(79):28
<i>darleyensis</i> , <i>Erica</i> x	(73):24;(76):48;(77):10;(79):38-46; (82):51
'Darleyensis', <i>E. tetralix</i>	(73):44;(79):28;(82):51
Dartington Hall - 1973	(74):25-28
'Dart's Amethyst', <i>Calluna vulgaris</i>	(79):58
'Dart's Beauty', <i>Calluna vulgaris</i>	(79):58
'Dart's Brilliant', <i>Calluna vulgaris</i>	(79):58
'Dart's Flamboyant', <i>Calluna vulgaris</i>	(79):58
'Dart's Gold', <i>Calluna vulgaris</i>	(76):57;(77):30;(78):40
'Dart's Hedgehog', <i>Calluna vulgaris</i>	(79):58

'Dart's Parrot', <i>Calluna vulgaris</i>	(79):58
'Dart's Silver Rocket', <i>Calluna vulgaris</i>	(76):57;(78):40
'Dart's Squirrel', <i>Calluna vulgaris</i>	(79):58
'Dart's Surprise', <i>Calluna vulgaris</i>	(79):58
'David Eason', <i>Calluna vulgaris</i>	(78):15;(80):41,pl.4;(82):56
'David Hutton', <i>Calluna vulgaris</i>	(76):55
'David Innes', <i>Calluna vulgaris</i>	(76):55
'David McClintock', <i>E. ciliaris</i>	(73):45
'David Platt', <i>Calluna vulgaris</i>	(77):32;(79):57;(80):64;(81):74
'David's Seedling', <i>E. carnea</i>	(82):48
DAVIS, P.G.	(76):6,8-11
'Dawn', <i>Erica x watsonii</i>	(75):8;(78):15;(80):31;(81):68;(82):57
'December Red', <i>E. carnea</i>	(75):8
Delany, Mary (1700-1788)	(76):6,11-14
'Delicata', <i>E. cinerea</i>	(77):19
'Delta', <i>E. ciliaris</i>	(77):50
'Dens Cleugh', <i>E. cinerea</i>	(73):44
'Diane Macdonald', <i>E. cinerea</i>	(79):56
<i>diaphana</i> , <i>Erica</i>	(77):12;(82):17,19
'Dickson's Blazes', <i>Calluna vulgaris</i>	(79):56;(81):71
'Dirry', <i>Calluna vulgaris</i>	(76):54
<i>discolor</i> , <i>Erica</i>	(77):11;(82):19
Dodder, Lesser (<i>Cuscuta epithymum</i>)	(82):26-27
<i>doliiformis</i> , <i>Erica</i>	(82):19
'Dømmesmoen', <i>E. carnea</i>	(79):58
'Domino', <i>E. cinerea</i>	(73):9;(76):2-8;(78):15;44;(82):57
'Donard Pink', <i>Daboecia</i>	(73):44
'Donegal', <i>Erica mackaiana</i>	(73):44
'Doris Rushworth', <i>Calluna vulgaris</i>	(76):56
Dorset	(77):3-4;(80):55-59
Dorset Heathland	(74):31-32;(79):2;
Hartland Moor	(80):7,56-59
Stoborough Heath	(80):55
Studland	(80):56
Double-flowered forms	(76):43;(77):25-37;(82):4,22
'Dr Murle', <i>Calluna vulgaris</i>	(76):55
'Dr Murray's White', <i>Calluna vulgaris</i>	(76):56
'Dr Ronald Gray', <i>E. mackaiana</i>	(81):16
'Dr Small's Seedling', <i>E. cinerea</i>	(78):41;(79):57
Drought, effect on heathers	(76):4;(77):41-43,43-45,45-47;(78):38
effect on Gall Midge	(81):22
effect on Rhododendrons	(79):14
'Drum - Ra', <i>Calluna vulgaris</i>	(73):44;(75):9,14
'Dumosa Flore Pleno', <i>Calluna vulgaris</i>	(77):37
'Doreen Fraser', <i>E. cinerea</i>	(82):54
'Dunkeld White', <i>Calluna vulgaris</i>	(79):58
'Dunnet Lime', <i>Calluna vulgaris</i>	(79):46,58
'Dunnydeer', <i>Calluna vulgaris</i>	(76):57
'Dunoon Queen', <i>Calluna vulgaris</i>	(79):58

'Dunreggan', <i>E. x darleyensis</i>	(79):48,58
'Dunwood', <i>Calluna vulgaris</i>	(79):46,58
'Durfordii', <i>Calluna vulgaris</i>	(73):44
'Dusky Maid', <i>E. x hyemalis</i>	(73):14;(82):17-18
'E.A. Mitchell', <i>E. cinerea</i>	(79):60
'Early Bride', <i>Daboecia cantabrica</i>	(80):65
'Early Pink', <i>E. vagans</i>	(80):66
Eason, C.D.	(78):14
East Germany, Heathers in	(74):17
Ecology of <i>Calluna vulgaris</i>	(73):26-27
'Eden Valley', <i>E. cinerea</i>	(73):9;(74):35;(82):54
'Eden Valley Improved', <i>E. cinerea</i>	(82):49
EDGE, D.	(79):49-51
Edinburgh Botanic Garden	(74):20-22;(81):6
'Edith Godbolt', <i>Calluna vulgaris</i>	(76):55;(77):49
'Egdon Heath', <i>E. ciliaris</i>	(79):58;(82):48
'Eileen Porter', <i>E. carnea</i>	(73):20;(79):17,40,45;(82):58
'Elegant Pearl', <i>Calluna vulgaris</i>	(80):45
'Elegantissima', <i>Calluna vulgaris</i>	(80):44
'Elegantissima Walter Ingwersen', <i>Calluna vulgaris</i>	(80):43-45
'Elkstone', <i>Calluna vulgaris</i>	(74):35
'Elsie Frye', <i>Calluna vulgaris</i>	(77):30
'Elsie Purnell', <i>Calluna vulgaris</i>	(73):30;(77):29,31;(82):12
EMBERSON, I.M.	(74):10-11
'Emerald Jack', <i>Calluna vulgaris</i>	(81):74
'England', <i>E. cinerea</i>	(74):35
<i>Epilobium angustifolium</i>	(79):2
'Eric Birse', <i>E. tetralix</i>	(79):55
'Eric Eason', <i>Calluna vulgaris</i>	(79):56
'Eric Easton', <i>Calluna vulgaris</i>	(78):40
<i>Erica aragonensis</i>	(73):42
<i>Erica arborea</i>	(73):23,31;(77):14;(79):37-38; (81):46-47
features of	(79):37-38;(81):46-47
in Germany	(74):16
In Madeira	(76):16
in Switzerland	(73):23
in U.K.	(81):43
Cultivars	
'Albert's Gold'	(79):49,55;(81):44
'Alpina'	(73):42;(74):21;(77):14;(79):35 (81):15,17,43-47
on alkaline soils	(77):39;(79):11
characteristics of	(81):44-45
differences	(81):43,46-47
var. <i>asturea</i>	(73):42
'Estrella Gold'	(77):50;(79):58

<i>Erica arborea</i> (continued)	
'Gold Tip'	(77):14;(79):34-35
'Picos Pygmy'	(79):59
'Pink Joy'	(79):36-38
? triflora	(76):12
<i>E. arborea</i> x <i>E. lusitanica</i>	(79):34
<i>E. arborea</i> x <i>E. umbellata</i> (= <i>lazarovana</i>)	(76):55
<i>Erica australis</i>	(73):23,31,42;(74):21;(76):56
cuttings of	(77):17
endurance of	(77):15
seedlings	(77):15-17
flower colour range	(77):16
Cultivars	
'Amy Doncaster'	(80):65
'Castellar Blush'	(76):56
'Castellar Garnett'	(76):57
'Holebird'	(81):74
'Mr Robert'	(77):14,16,39
on alkaline soils	(77):39
'Mount Stewart'	(75):42
'Riverslea'	(75):43;(77):14
on alkaline soils	(77):39
'Roundhill'	(75):43
'Wishanger Pink'	(75):44;(77):15
<i>Erica azorica</i>	(73):42;(76):18
<i>Erica baccans</i>	(73):14;(76):12;(82):18-20
<i>Erica bauera</i>	(73):36;(82):17,18,20
<i>Erica bethurica</i> (= <i>australis</i>)	(79):58
<i>Erica bianonis</i> (= <i>multiflora</i>)	(76):54;(81):74
<i>Erica biformis</i>	(81):55
<i>Erica blandifolia</i>	(82):19
<i>Erica blenna</i>	(73):35
<i>Erica</i> (<i>Pentapera</i>) <i>bocquetii</i>	(80):47;(81):74
<i>Erica brabantica</i>	(76):56
<i>Erica bruckenthalia</i>	(76):54
<i>Erica caffra</i>	(76):54;(77):11;(82):19
<i>Erica canaliculata</i>	(74):8-9,25;(78):22;(79):22; (82):17,19
'Red Queen'	(74):8
<i>Erica cantabrica</i> (= <i>Daboecia</i>)	(76):56
<i>E. carnea</i> (Mountain Heath, Winter Heath)	(76):10;(81):18,20;(82):23-25
on alkaline soils	(77):39;(79):15-18
anthers of	(82):24
cross with <i>E. erigena</i> (<i>E. x darleyensis</i>)	(76):48-49;(77):10;(78):42-43; (81):67-70
diagnostic tests	(79):38-46
on difficult soils	(80):30
foliage colour	(76):10
Gall Midge	(81):21-22

E. carnea (Mountain Heath, Winter Heath (Continued))

nomenclature of	(82):23-25
pollen grain	(79):42,pl.2,fig.2
pruning of	(73):31
rooting cuttings	(74):28;(75):15-18
use in Swiss cemeteries	(73):24
time for cuttings	(76):21
weather effects	(80):10
winter damage	(80):10

Erica carnea Cultivars

with bulbs	(73):11;(79):38-46
early cultivars	(75):10
'Adrienne Duncan'	(82):53
'Alan Coates'	(76):55;(79):44
'Altadena'	(79):44
'Ann Sparkes' (Equal 6th/Top Ten)	(79):48,58;(81):16
'Atrorubra'	(76):53;(79):4;(81):12;(82):12
'Audrey Morris'	(75):8
'Aurea'	(81):74
	(74):18;(75):6;(78):44;
	(79):12,40,42,44
'Beoley Pink'	(79):58;(82):12
'Carnea'	(81):68
'Cecilia M. Beale'	(78):15;(82):55
'Claire Wilkinson'	(79):58
'David's Seedling'	(82):48
'December Red'	(75):8
'Dømmesmoen'	(79):58
'Eileen Porter'	(73):20;(79):17,40,45;(82):58
'Foxhollow'	(79):16
'Foxhollow Fairy'	(74):24;(75):8;(79):44
'Gracilis'	(79):44
'Heathwood'	(74):36;(75):8
'Hilletje'	(81):74
'James Backhouse'	(76):36
'Jennifer Anne'	(75):39;(79):44
'John Kampa'	(76):55;(79):48
'King George'	(74):24;(75):7,8;(79):44;
	(81):16,19,68
'Lesley Sparkes'	(79):42,44;(82):12
'Loughrigg'	(74):37;(75):8
'March Seedling'	(76):36
'Mayfair White'	(73):21;(75):42
'Merton Ruby' (Error)	(75):42
'Myretoun Jewel'	(75):42
'Myretoun Ruby'	(74):24;(75):42;(77):13;
	(79):41,44;(81):68
'Pink Beauty'	(78):44
'Pink Cecilia M. Beale'	(78):41
'Pink Pearl'	(79):44
'Pink Spangles (3rd/Top Ten 1976)	(74):24;(76):36,53;(79):40,41,
	42,44

Erica carnea cultivars (continued)

'Pirbright Pink'	(75):42
'Pirbright Rose'	(75):8;(82):48
'Porter Red'	(79):57
'Praecox Rubra'	(74):18;(75):8;(79):44
'Prince of Wales'	(75):8
'R.B. Cooke'	(76):36;(79):55
'Red Rover'	(80):66
'Rosy Gem'	(75):14
'Ruby Glow'	(75):39;(79):40,44;(82):45
'Sherwood Creeping'	(75):43
'Sherwoodii'	(75):43
'Sherwood White'	(75):43
'Smart's Heath'	(75):43
'Snow Queen'	(79):44
'Spring Cottage Crimson'	(79):59;(82):48
'Springwood Pink'	(74):19;(75):8,43;(81):68
'Springwood White' (Equal 4th/Top Ten)	(73):20,30;(75):8,14,39,43; (76):53;(77):23;(79):44; (81):16,68;(82):45
'Tybesta Gold'	(80):66;(81):74
'Vivelli' (Equal 6th/Top Ten 1976)	(73):11,20;(75):7,8,14,39;(76):36, 53;(79):44
'Wanda'	(78):41;(79):42,44,58
'Wentwood Red'	(79):59
'Westwood Yellow'	(81):74
'White Glow'	(75):14;(76):36
'Winter Beauty'	(74):24;(75):11;(79):44
'Winter Gold'	(81):72
'Winter Melody'	(81):73

Erica cerinthoides (73):35;(76):12;(82):19

Erica cerinthoides var. *Barbertona* (82):19

Erica chamissonis (74):9;(77):12

Erica chloroloma (74):9

Erica ciliaris (Dorset Heath)

in Connemara (82):34-36

in Cornwall (80):55-59

Distinguishing from *E. tetralix* (78):50

Distribution of (78):4-9

in Dorset (80):55-59,61

at Furzebrook, Dorset (78):49-52

in Germany (74):16

Habitat of (78):50-51

at Hartland Manor (80):7

Heather Society Trials (82):37

hybrids with *E. tetralix* (78):50-52

in Ireland (81):56;(82):35

Late-flowering of (82):34-37

<i>Erica ciliaris</i> (Dorset Heath) (continued)	
Morphological characters of	(78):50
Paper Mosaic of	(76):12
Planting secret	(76):10
Preservation of	(74):28
Pruning of	(73):31
at Wakehurst	(79):12
White Dorset Heath	(80):55-59
Winter damage to	(80):10
white forms	(80):55-59
Cultivars	(73):11;(76):10;(80):59-64
<i>E. ciliaris</i> 'Arne'	(73):42;(76):56
'Aurea'	(78):15
'Burfitt's Dwarf'	(74):25;(76):54
'Camla'	(73):43
'Corfe Castle'	(73):43;(74):25
'David McClintock'	(73):45
'Delta'	(77):50
'Egdon Heath'	(79):58;(82):48
'Globosa'	(78):15;(80):59-64
'James McCluskey'	(79):56
'Maweana'	(73):21
'Mrs C.H. Gill'	(75):8;(78):15
'Norden'	(78):15;(79):59;(80):59-64
'Rotundiflora'	(80):59-64
'Staphell'	(75):43
'Stoborough'	(75):43;(78):15;(82):57
'Wych'	(75):44;(78):15;(82):57
<i>Erica cinerea</i> (Bell Heather)	(73):8-9;(74):24;(77):3,44; (82):4-5,37-42
characters of	(81):50
comparison with other species	(81):50
effect of drought on	(77):44
in Germany	(74):16;(77):18
in Madeira	(81):48-51
paper mosaic of	(76):13
Pruning of	(73):30-31
rooting cuttings of	(74):29
? unpopularity of	(76):53
'wheatear' cinereas	(82):57
winter damage to	(80):10,11-12
<i>Erica cinerea</i> var. <i>kruessmanniana</i>	(82):57
var. <i>numidica</i>	(75):42
var. <i>splendens</i>	(82):37-42
<i>Erica cinerea</i> cultivars	
'Aberfoyle'	(77):50
'Alba Minor'	(73):8
'Angarrack'	(79):58
'Anja Blum'	(79):55
'Apple Blossom'	(73):8;(75):8;(78):15;(82):57

Erica cinerea cultivars (continued)

'Apricot Charm'	(78):46
'Ashgarth Garnet'	(78):45
'Atrosanguinea Smith's Variety'	(75):26;(82):51
'Atropurpurea'	(77):19
'Atrorosea'	(77):19
'Barnellan'	(79):58
'Baylays Variety'	(78):41
'Betty MacDonald'	(77):50;(79):56
'Blossom Time'	(81):73
'Broadstone'	(78):15;(82):57
'Bucklebury Red'	(79):48,58
'Cairn Valley'	(73):43
'Caldy Island'	(73):43
'Carsie White'	(73):42
'Callander'	(79):58
'C.D. Eason'	(73):8;(75):26;(76):28;(78):15;(82):50
synonym with 'Splendens'	(82):40-41
'Cevennes' / 'Cevennensis'	(73):43;(75):14;(76):37
'C.G. Best'	(76):28;(78):15;(82):56
'Christina Macdonald'	(79):56
'Coccinea'	(73):9
'Coccinea Smith's Variety'	(82):51
'Colligan Bridge'	(73):43
'Contrast'	(76):28
'Cripples Ease'	(73):43;(82):54
'Darley Dale'	(73):44
'Delicata'	(77):19
'Dens Cleugh'	(73):44
'Diana Macdonald'	(79):56
'Domino'	(73):9;(76):28;(78):15,44;(82):57
'Dr Small's Seedling'	(78):41;(79):57
'Duncan Fraser'	(82):54
'E.A. Mitchell'	(79):60
'Eden Valley'	(73):9;(74):35;(82):54
'Eden Valley Improved'	(82):49
'England'	(74):35
'Felthorpe'	(79):59
'Flamingo'	(77):19
'Foxhollow'	(74):35
'Frances Variety'	(78):14;(82):58
'Fred Corston'	(82):54
'Glasnevin Red'	(74):35;(76):28
'Glencairn'	(74):35;(76):28
'Godrevy'	(80):66;(81):74
'Golden Drop'	(78):15;(82):56
'Golden Hue'	(78):15
'G. Osmond'	(78):15;(82):58
'Grandiflora'	(75):8

Erica cinerea cultivars (continued)

'Guernsey Lime'	(74):36
'Guernsey Pink'	(74):36
'Guernsey Plum'	(74):36
'Guernsey Purple'	(74):36
'Gwen Whatmore'	(79):58
'Gwinear'	(74):36;(82):54
'Hamildon'	(82):54
'Hardwick's Rose'	(79):56
'Harry Fulcher'	(82):49
'Heathfield'	(74):36
'Heidebrand'	(77):19
'Hermann Dijkhuizen'	(79):56
'Hookstone White'	(74):36
'Honeymoon'	(75):13
'Hookstone Lavender'	(74):36;(75):8;(76):37
'Hookstone White'	(75):14
'Janet'	(82):54
'Janet Warrilow'	(76):56
'John Ardron'	(79):56
'John Eason'	(78):15;(82):56
'Joseph Murphy'	(76):56
'Joyce Burfitt'	(82):56
'Knaphill'	(74):36
'Knaphill Pink'	(74):36;(82):54
'Knaphill Rosea'	(74):36
'Knaphill Scarlet'	(74):37
var. <i>kreussmanniana</i>	(82):57
'Lankidden'	(74):37
'Leaf Agnew'	(79):55
'Lilac Time'	(73):9
'Lime Soda'	(82):49
'Little Anne'	(81):73,74
'Loganlea'	(74):37
'Lorna-Anne Hutton'	(76):55
'Lumsdaine'	(74):37
var. <i>maderensis</i> (= <i>Erica maderensis</i>)	(75):42;(81):48-51
'Maginess Pink'	(76):55
'Mahogany'	(74):35
'Mrs Dill'	(76):54
'Mrs E.A. Mitchell'	(79):48
'Mrs Mitchell'	(76):55
'My Love'	(76):37
'Mulfra'	(75):42;(82):54
'Murcar'	(76):57;(79):59
'Nance'	(75):42;(82):54
'Nellie Dawson'	(79):56;(82):49
'Newick Lilac'	(75):42;(76):37
'Next Best'	(81):73

Erica cinerea cultivars (continued)

'Ninnes'	(75):42
'Novar'	(77):49
var <i>numidica</i>	(75):42
'Pallida'	(78):14
'Penaz'	(79):57
'Pentreath'	(75):42;(82):54
'Pink Ice'	(73):9
'Poltesco'	(75):42
'Providence'	(76):57;(78):45
'P.S. Patrick'	(75):pl.2;(76):28;(78):15; (82):46,56
'Purple Beauty'	(73):9
'Red Pentreath'	(75):43
'Redriggs'	(73):39-40;(75):43
'Rijneveld'	(79):59
'Robert Mitchell'	(78):15;(82):58
'Rock Ruth'	(76):56
'Romiley'	(75):43
'Rosea'	(82):41-42
'Rosea Splendens'	(82):41-42
'Rozanne Waterer'	(82):54
'Ruby'	(78):15;(82):57
'Sandpit Hill'	(75):43;(76):28
'Sark Snowfall'	(76):57
'Sinensis'	(75):43
'Smith's Lawn'	(79):60
'Snow Cream'	(82):12
'Son of Cevennes'	(82):49
'Splendens'	(77):19;(82):39
use in horticulture	(82):39-42
synonymy with C.D.Eason	(82):40-41
'Stella Felicity'	(79):57;(82):12
'Studland'	(75):43;(78):15;(82):57
'Taranto Purple'	(75):43
'Tilford'	(75):44
'Tom Waterer'	(82):54
'Velvet Night'	(76):28;(82):58
'Victoria'	(78):15;(82):56
'Violetta'	(77):19
'Vivienne Patricia'	(73):9;(75):8;(76):37
'West End'	(79):59
'W.G. Notley'	(82):57
'White Dale'	(75):44;(78):45
'Winifred Whitley'	(78):15
'Windebrooke'	(75):44
'Yvonne'	(79):58
'Zennor'	(75):44;(82):54

<i>Erica coccinea</i> (Scarlet-flowered Heath)	(76):13
<i>Erica concinna</i>	(76):13
<i>Erica corsica</i>	(76):57
<i>Erica cruenta</i>	(78):60;(82):19
<i>Erica curviflora</i>	(76):13;(82):17,18,20
<i>E. darleyensis</i>	See under <i>Erica x darleyensis</i>
<i>E. diaphana</i>	(77):12;(82):17,19
<i>E. discolor</i>	(82):19
effects of Salt wind	(77):11
on Isle of Coll	(77):11
<i>E. doliiformis</i>	(82):19
<i>Erica erigena</i>	(73):45;(81):18
on alkaline soils	(77):39
diagnostic tests	(79):38-46
hybrids x <i>E. carnea</i>	(76):48-49;(77):10;(78):42-43; (79):38-46;(80):67-70
in Ireland	(81):58-59
pollen grain of	(79):42,pl.3,fig.1;(80):70
weather effects on	(77):4
winter damage to	(80):10
<i>Erica erigena</i> cultivars	
'Brian Proudley'	(79):40,45,48,57
'Brightness'	(73):45;(74):25;(76):48-49
'Brightness' x <i>E. carnea</i> 'Springwood Pink': seedlings 1,2, & 3	(78):42;(80):67-70
<i>candollei</i>	(79):55
'Charlotte'	(78):16
'Coccinea'	(74):25
'Ewan Jones'	(78):41;(79):56
'Golden Lady'	(78):41
'Hibernica'	(74):36
'Hibernica Coccinea'	(74):36
'Hibernica Praecox'	(74):36
'Irish Dusk'	(76):57;(79):17,39,45;(81):17
lime sensitivity of	(81):68
'Irish Salmon'	(74):36;(75):26;(77):15;(79):39,45
'Irish Silver'	(77):51
'Ivory'	(78):44-45
'Superba'	(73):45;(75):8;(79):45;(80):31
'W.T. Rackliff'	(73):45;(75):8;(76):48-49;(78):16,42; (79):12,40,43,45;(82):58
x <i>carnea</i> hybrids	(78):42;(80):67-70
lime sensitivity of	(81):68
seedling 1, 2, & 3	(80):67-70
<i>Erica formosa</i>	(74):9;(82):17,19
<i>Erica forskali</i> (= syn of <i>E. manipuliflora</i>)	(79):56
<i>Erica galaica</i> (= syn of <i>E. erigena</i>)	(79):59
<i>Erica gatini</i> (= <i>multiflora</i>)	(76):55
<i>Erica glandulosa</i>	(73):14;(74):9;(78):22;(82):18,20
<i>Erica glauca</i> var. <i>elegans</i>	(77):11

<i>Erica glomiflora</i>	(82):17,19
<i>Erica gracilis</i>	(74):9;(82):17,19
Grass v. heathers	(73):11,13
<i>E. grandiflora</i>	(76):13
<i>Erica herbacea</i>	(81):18,20;(82):24
<i>Erica x hibernica (E. erigena)</i>	(74):36
<i>Erica hirtiflora</i>	(74):9;(82):17,18,19,20
<i>Erica hybrida darleyensis</i>	(79):28; see also under <i>x darleyensis</i>
<i>Erica</i> hybrids See under:	
<i>E. x darleyensis</i>	
<i>E. x hyemalis</i>	
<i>E. x lazaroana</i>	
<i>E. x praegeri</i>	
<i>E. x stuartii</i>	
<i>E. x veitchii</i>	
<i>E. x watsonii</i>	
<i>E. x williamsii</i>	
<i>E. x wilmoreaana</i>	
<i>E. arborea x E. lusitanica</i>	
<i>E. arborea x E. umbellata</i>	
<i>E. carnea x E. erigena</i>	
<i>E. ciliaris x E. tetralix</i>	
<i>E. erigena x E. carnea</i>	
<i>E. tetralix x E. mackaiana</i>	
<i>E. Dallimorei</i> (= syn. of <i>E. x darleyensis</i>)	(79):56
<i>E. x darleyensis</i>	(73):24;(79):38-46
diagnostic features of	(79):39
female fertility	(79):43-44
on alkaline soils	(77):39
origin of	(76):48;(77):10;(82):51
pollen grain	(79):42;pl.3,fig.2
rooting cuttings	(75):37-41
smothering tendency	(73):24
sterility of male	(79):43-44
use as Hedge	(74):12,19
winter damage	(80):12,13
Cultivars	
'Ada S. Collins'	(79):42,44
'Archie Graham'	(79):60
'Arthur Johnson'	(75):8;(79):44
'Carryduff'	(73):43;(79):43-44
'Cherry Stevens'	(80):67;(82):58
'Colwall'	(73):43
'Darley Dale'	(78):25;(79):44;(82):51
Back-crossing experiment	(80):70
use as hedge	(80):70
'Dunreggan'	(79):48,58
'Furzey'	(74):35;(76):36;(75):8;(82):58
'George Rendell'	(75):7,8;(78):16;(82):56

<i>E. x darleyensis</i> (continued)	
'Ghost Hills'	(74):35;(75):8;(79):44
'G. Rendall'	(79):60
'G. Stevens'	(80):67
'Jack H. Brummage'	(75):39;(79):44
'Jack Stitt'	(79):57
'J. W. Porter'	(79):41,44
'Knockomie'	(74):37
'Margaret Porter'	(79):41
'Mr. Reeves'	(76):56
Mrs. Paris's hybrid A	(79):44
Mrs. Paris's hybrid C	(79):44
'Putford Pink'	(79):59
'Silberschmelze'	(75):7,8,14,25;(76):36;(77):19; (78):44;(79):11,12,40,44;(81):68
'Snowdrift'	(79):48
'White Glow'	(79):12,40,42,44
'White Perfection'	(79):48
<i>E. x hyemalis</i>	(77):37
<i>hyemalis</i> hybrids	(73):14
'Dusky Maid'	(73):14;(82):17-18
'Gaiety'	(77):11
'Limelight'	(77):11
'Majestic'	(73):14
'Snowball'	(82):19
'White Spray'	(77):11
<i>E. x lazaroana</i>	(76):55
<i>E. x praegeri</i>	(79):33
<i>E. x praegeri</i> 'Connemara'	(73):43
'Irish Lemon'	(74):36
'Irish Orange'	(74):36
'Nacung'	(75):42
<i>E. x stuartii</i>	(75):8;(79):33-34,pl.2,fig.1; (81):18,55,56,58;(80):13; (81):68
<i>E. x stuartii</i> 'Connemara'	(82):23
<i>E. x veitchii</i>	(73):31;(79):37-8;(80):13; (81):16
<i>E. x veitchii</i> 'Exeter'	(74):35;(77):14;(79):34-6; (81):16;(82):52
'Gold Tips'	(79):34-38;(80):31
'Pink Joy'	(79):36-38
<i>E. x watsonii</i>	(80):7,57,58;(82):36-37
anthers of	(82):24
lack of in Connemara	(82):36-37

<i>Erica x watsoni</i> cultivars	
'Ciliaris Hybrida'	(78):15
'Dawn'	(75):8;(78):15;(80):31;
	(81):68;(82):57
'F. White'	(78):15;(82):56
'Gwen'	(78):15;(82):58
'H. Maxwell'	(75):8;(78):15
'P. D. Williams'	(75):8
'Rachel'	(78):15;(80):13;(82):58
'Truro'	(75):44
<i>Erica x williamsii</i>	(73):24;(74):29;(80):13
<i>Erica x williamsii</i> cultivars	
'Gwavas'	(74):36;(82):5,54
'P.D. Williams'	(81):68
<i>Erica x wilmoreana</i>	(77):37
<i>Erica hyemalis</i> hybrids	(73):14;(77):37
'Dusky Maid'	(73):13;(82):17-18
'Gaiety'	(77):11
'Limelight'	(77):11
'Majestic'	(73):14
'Snowball'	(82):19
'White Spray'	(77):11
<i>Erica lazaroana</i> (<i>E. arborea</i> x <i>E. umbellata</i>)	(76):55
<i>Erica longiflora</i>	(76):13
<i>Erica lusitanica</i> (Portuguese Heath)	(76):12
on alkaline soils	(77):39
features of	(79):35-38
pruning of	(73):31
R.H.S. Awards	(73):45;(74):37
at Windsor	(77):14
winter damage to	(80):12
at Wisley	(81):17
<i>Erica lusitanica</i> cultivars	
'George Hunt'	(76):55;(81):16
'Lionel Fortescue'	(81):74
'Louise Fortescue'	(81):74
<i>Erica mackaiana</i> (Mackay's Heath)	(77):42
characters of	(81):52
distribution of	(81):59,pl.4
history of	(81):55-56
occurrence of	(81):54-59;(82):32
variation in	(81):57
<i>Erica mackaiana</i> cultivars	
'Donegal'	(73):44
'Dr. Ronald Gray'	(81):16
'Maura'	(79):56;(81):57;(82):32,49
'Plena'	(74):24;(75):8;(77):37;
	(80):5;(82):4
winter damage	(80):6
'Wm. M'Alla'	(76):55

<i>Erica maderensis</i>	(75):42;(76):15-20;(81):48-51
characters of	(81):50
companion for	(81):50
cuttings of	(76):19
in U.K.	(81):51
<i>Erica mammosa</i>	(82):17-18
<i>Erica manipuliflora</i>	(80):4,18-19
winter survival	(80):18-19
<i>Erica mauritanica</i>	(74):9;(75):42;(77):12;(82):19
<i>Erica mawei</i>	(73):21
<i>Erica mediterranea</i>	(76):13
pruning of	(73):32
<i>E. mediterranea</i> cultivars	
'Superba'	(73):30
'W.T. Rackcliff'	(74):19
<i>E. mediterranea darleyensis</i>	(79):28
<i>Erica melanthera</i>	(74):8;(77):12
<i>Erica multiflora</i>	(76):13
<i>E. multiflora</i> var. <i>bianonis</i>	(76):54
<i>E. multiflora flore pleno</i>	(77):37
<i>Erica numidica</i>	(75):42
<i>Erica oatesii</i>	(73):14;(77):12
<i>Erica occidentalis</i>	(76):57
<i>Erica olympica</i>	(76):57
<i>Erica pageana</i>	(73):12;(79):22;(82):19
<i>Erica patersonia</i>	(73):35;(74):9;(82):17,18,19
'least hardy'	(82):20
<i>Erica peltata</i>	(82):17,18
<i>Erica perspicua</i>	(74):9
<i>Erica peziza</i>	(74):9;(77):12
<i>Erica pinea</i>	(73):36
<i>Erica plukenetii</i>	(82):13
<i>Erica portosanctana</i>	(75):42
<i>Erica riojana</i>	(76):57
<i>Erica scoparia</i> (Besom Heath)	(74):13-15;(76):20
on alkaline soils	(77):39
forms of	(74):14;(79):29
in Madeira	(76):16
at Wisley	(81):15
<i>Erica scoparia azorica</i>	(74):21;(76):20
<i>Erica scoparia nana</i>	(74):14;(79):29
<i>Erica scoparia platycodon</i>	(76):20;(74):14
<i>Erica scoparia pumila</i>	(74)14;(79):29
<i>Erica scoparia</i> var. <i>portosanctana</i>	(75):42
<i>Erica scoparia</i> cultivars	
'Lionel Woolner'	(76):56
'Mercedes Gold'	(79):59
'Minima'	(79):29;(81):15
'Minor'	(79):30
<i>Erica selaginifolia</i>	(82):17,19,20

<i>Erica septentrionalis</i> (= <i>E. tetralix</i>)	(76):57
<i>Erica sessiflora</i>	(73):36
<i>Erica sicula</i>	(80):45-55
in Cyrenaica	
in Lebanon	
in Sicily	
differences in	(80):51-52
<i>Erica sicula</i> ssp <i>cyrenaica</i>	(80):54-55
<i>Erica sicula</i> ssp <i>libanotica</i>	(80):46,48,54,pl.3
<i>Erica sicula</i> ssp <i>sicula</i>	(80):46,54,pl.2
<i>Erica speciosa</i>	(74):9;(82):17,18
<i>Erica taxifolia</i>	(77):12
<i>Erica terminalis</i> (Corsican Heath)	(73):24
on alkaline soils	(77):39;(79):17
characters of	(81):50
companion with <i>E. maderensis</i>	(81):50
winter damage to	(80):12
at Wisley	(81):17
<i>Erica terminalis</i> cultivars	
Hidcote	(74):36
Thelma Woolner	(74):25;(77):15
<i>Erica tetralix</i> (Cross-leaved Heath)	(75):8
anthers of	(82):24,pl.1
in Argyllshire	(74):24
distinguishing characters	(81):52
hybrids with <i>E. ciliaris</i>	(78):49-52
in Ireland	(81):53,56,58
morphological characters of	(78):50
pruning of	(73):32
pygmy form of	(73):34
rooting cuttings of	(74):29
winter damage to	(80):12
<i>E. tetralix</i> x <i>E. mackaiana</i>	(75):8;(79):33-34;(80):13; (81):18,55,56,58,68
<i>Erica tetralix anandra</i>	(82):34
<i>Erica tetralix</i> cultivars	
'Alba'	(74):16
'Alba Mollis'	(75):8
lime sensitivity of	(81):68
'Allandale Pink'	(82):49
'Ardy'	(76):54
Assoi	(79):55
'Bartiney'	(73):42
'Con Underwood'	(74):24;(75):8;
lime sensitivity of	(81):68
'Darleyensis'	(73):44;(79):28;(82):51
'Eric Birse'	(79):55
'Foxhome'	(74):24,35
'Galway'	(74):35
'Humoresque'	(77):51

<i>Erica tetralix</i> cultivars (continued)	
'Ken Underwood'	(74):24;(75):8
'Linford'	(76):57;(79):59
'Mary Grace'	(78):16;(82):58
'Melbury White'	(75):42
'Pink Glow'	(78):15
'Pink Star'	(74):24;(75):8
'Rosea'	(74):16
'Rubra'	(75):8
'Ruby's Variety'	(78):14;(82):57
'Rufus'	(78):14
'Ruth's Gold'	(81):74
'Shetland Island'	(75):43;(78):41
'Terschelling'	(78):41;(79):59
'Thule White'	(75):43
'Whitehouse'	(75):44
'William Sloan'	(76):56
<i>Erica transsilvanica</i>	(76):57
<i>Erica umbellata</i>	(76):37;(77):14;(79):17
winter damage to	(80):12
<i>Erica umbellata</i> x <i>E. arborea</i> (= <i>E. lazaroana</i>)	(76):55
<i>Erica vagans</i> (Cornish Heath)	
abnormal form of	(82):33-34
on alkaline soils	(77):40;(79):17
feeding on seed heads	(74):25
in Germany	(74):16
in Ireland	(81):54
Gall Midge on	(81):21-22
pruning of	(73):20-32;(77):13
rooting cuttings of	(74):29
at Wakehurst	(79):13
Weather effects on	(77):4;(80):10,12-13
use in War Cemeteries	(78):25;(82):22
<i>Erica vagans</i> cultivars	
'Alba'	(73):23
'Birch Glow'	(73):42;(76):35;(82):12
'Carnea'	(78):15
'Catherine Graham'	(76):55
'Colstoun'	(73):43
'Cornish Cream'	(73):43
'Early Pink'	(80):66
'Fiddlestone'	(74):35;(76):36
<i>flore pleno</i>	(77):37
'French White'	(74):35
'Holden Pink'	(76):55
'Hookstone Rose'	(74):36
'Ida M. Britten'	(76):54

Erica vagans cultivars (continued)

'J. C. Fletcher'	(80):66;(81):74
'Kevernensis Alba'	(74):36
'Lyonesse'	(74):37;(75):7,8;(78):15; (82):22,55
'Miss Waterer'	(82):54
'Mrs. D. F. Maxwell' (2nd in top ten, 1976)	(75):7,8;(76):36,53;(78):15; (82):55
lime sensitivity of	(81):68
'Mrs. S. Donaldson'	(75):8
'Pallida'	
lime sensitivity of	(81):68
'Pyrenees Pink'	(75):43
'St. Keverne'	(75):43
'Valerie Proudley'	(74):19
lime sensitivity of	(81):68
'Valerie Smith'	(79):57;(81):73
'Viridiflora'	(82):5
'White Lady'	(77):51
<i>Erica verticillata</i>	(74):9;(77):12;(82):17,18
(=syn of <i>E. manipuliflora</i>)	
<i>Erica vetonicae</i>	(79):59
<i>Erica wilmoreaana</i>	(77):37
Ericultura, Dutch heather Society	(74):5
<i>erigena</i> , <i>Erica</i>	(73):45;(76):48-49;(79):38-46 see also under main entry of <i>Erica erigena</i>
Errisbeg	(81):58-59
'Eshaness', <i>Calluna vulgaris</i>	(81):74
'Eskdale Blea', <i>Daboecia</i>	(76):57
'Eskdale Blonde', <i>Daboecia</i>	(76):57
'Eskdale Maggie', <i>Daboecia</i>	(76):57
'Estrella Gold', <i>E. arborea</i>	(77):50;(79):58
'Evelyn', <i>Calluna vulgaris</i>	(76):55
'Ewan Jones', <i>E. erigena</i>	(78):41;(79):56
EVANS, A.	(74):20-22
EVERETT, Mrs. D.	(82):50-59
<i>Exochorda x macrantha</i> 'The Bride'	(79):12
'Exeter', <i>E. arborea x E. lusitanica</i>	(79):34
'Exeter', <i>E. x veitchii</i>	(74):35;(77):14;(79):34-6;(81):16; (82):52
'Fairy', <i>Calluna vulgaris</i>	(76):27;(82):12
FARRAH, Mrs. B.	(82):25-26
FARRAH, K.	(82):6-8
'Fiddlestone', <i>E. vagans</i>	(74):35;(76):36
'Finale', <i>Calluna vulgaris</i>	(75):26;(76):27
Fine-leaved Heath	see under <i>Erica cinerea</i>

Fir-leaved Heath	see under <i>Erica multiflora</i>
'Fire King', <i>Calluna vulgaris</i>	(80):65
'Firebreak', <i>Calluna vulgaris</i>	(76):8
'Firefly', <i>Calluna vulgaris</i>	(77):49
'Flamingo', <i>Calluna vulgaris</i>	(77):49;(82):12
'Flamingo', <i>E. cinerea</i>	(77):19
'Flatling', <i>Calluna vulgaris</i>	(77):49
'Flore Pleno' / <i>flore pleno</i>	(77):26
<i>flore pleno</i> , <i>E. multiflora</i>	(77):37
'Flore Pleno', <i>Calluna vulgaris</i>	(77):25,26
<i>flore pleno</i> , <i>E. vagans</i>	(77):37
Flowering of heathers	
In April	(78):48
In Summer	(78):48
Formaldehyde, use for sterilisation	(78):39
<i>formosa</i> , <i>Erica</i>	(74):9;(82):17,19
<i>forskali</i> , <i>Erica</i> (= <i>E. manipuliflora</i>)	(79):56
'Foxhollow', <i>E. carnea</i>	(74):35;(79):16
'Foxhollow Fairy', <i>E. carnea</i>	(74):24;(75):8;(79):44
'Foxhollow Wanderer', <i>Calluna vulgaris</i>	(74):35;(75):9
'Foxhome', <i>E. tetralix</i>	(74):24,35
'Foxii Nana', <i>Calluna vulgaris</i>	(73):24
France, Heathers in	(78):17-19
'Frances Variety', <i>E. cinerea</i>	(78):14;(82):58
'Fred Corston', <i>E. cinerea</i>	(82):54
'Frejus', <i>Calluna vulgaris</i>	(74):35
'French Grey', <i>Calluna vulgaris</i>	(74):35
'French White', <i>E. vagans</i>	(74):35
Frost	(77):15-16;(78):22
FULCHER, L. & H.	(76):5-7
'Furzey', <i>E. x darleyensis</i>	(74):35;(75):8;(76):36;(82):58
'F. White', <i>E. x watsonii</i>	(78):15;(82):56
'Gaiety' <i>E. x hyemalis</i>	(77):11
<i>galaica</i> , <i>Erica</i> (= <i>E. erigena</i>)	(79):59
Galls on heathers	(81):21-22
Gall Midge (<i>Wachtliella ericina</i>)	(81):21-22
'Galway' <i>E. tetralix</i>	(74):35
GAMBEE, E.B.	(72):8-11
Gandoger, <i>Flora Europaea</i> (1888)	(76):54
<i>gatini</i> , <i>Erica</i> (= <i>multiflora</i>)	(76):55
'George Hunt', <i>E. lusitanica</i>	(76):55;(81):16
'George Rendall', <i>E. x darleyensis</i>	(75):7,8;(78):16;(82):56
Germany, Heathers in	(74):17;(77):18-20;(78):19-21
Gesellschaft der Heidefreunde	(78):19-21;(79):4
'Ghost Hills', <i>E. x darleyensis</i>	(74):35;(75):8;(79):44
GILLESPIE, J.W.	(81):7-9
GINGHAM, C.H.	(73):26-27;(76):29-30
'Ginkel's Glorie', <i>Calluna vulgaris</i>	(74):35;(80):42,pl.4

<i>glandulosa</i> , <i>Erica</i>	(73):14;(74):9;(78):22;(82):18,20
'Glasnevin Red', <i>E. cinerea</i>	(74):35;(76):28
<i>glauca</i> var. <i>elegans</i> , <i>Erica</i>	(77):11
'Glencairn', <i>E. cinerea</i>	(74):35;(76):28
'Glencoe', <i>Calluna vulgaris</i>	(74):35;(77):32-36
'Glendoick Silver', <i>Calluna vulgaris</i>	(79):59
'Glenfiddich', <i>Calluna vulgaris</i>	(76):57
'Glenlivet', <i>Calluna vulgaris</i>	(76):57
'Glen Mashie', <i>Calluna vulgaris</i>	(79):47,59
'Glenmorangie', <i>Calluna vulgaris</i>	(76):57
'Glen Roy', <i>Calluna vulgaris</i>	(79):59
'Globosa', <i>E. ciliaris</i>	(78):15;(80):59-64
<i>glomiflora</i> , <i>Erica</i>	(82):17,19
'Gnome', <i>Calluna vulgaris</i>	(82):12
'Gnome Pink', <i>Calluna vulgaris</i>	(82):12
'Goblin', <i>Calluna vulgaris</i>	(82):12
GODBOLT, Edith	(76):32-33;(77):24-25
'Godrevy', <i>E. cinerea</i>	(80):66;(81):74
'Gold Haze', <i>Calluna vulgaris</i>	(74):19;(79):12;(82):12
'Gold Pat', <i>Calluna vulgaris</i>	(82):12
'Gold Tips', <i>E. arborea</i>	(77):14;(79):34-35
'Gold Tips', <i>E. x veitchii</i>	(79):34-38;(80):31
'Gold Turret', <i>Calluna vulgaris</i>	(74):35;(76):27;(77):49
'Golden Carpet', <i>Calluna vulgaris</i>	(81):68
'Golden Drop', <i>E. cinerea</i>	(78):15;(82):56
'Golden Feather', <i>Calluna vulgaris</i>	(74):24;(78):44;(82):12
Golden Heather = <i>Cassinia fulvida</i>	(76):47
'Golden Hue', <i>E. cinerea</i>	(78):15
'Golden Lady', <i>E. erigena</i>	(78):41
'Golden Max', <i>Calluna vulgaris</i>	(78):40;(79):57
'Goldsworth Crimson', <i>Calluna vulgaris</i>	(74):35
'Goldsworth Pink', <i>Calluna vulgaris</i>	(74):35
GOODE, Mrs D.	(80):29-32
'G. Osmond', <i>E. cinerea</i>	(78):15;(82):58
'Gottaborg', <i>Calluna vulgaris</i>	(74):35
<i>gracilis</i> , <i>Erica</i>	(74):9;(82):17-19
'Gracilis', <i>E. carnea</i>	(79):44
'Grampian', <i>Calluna vulgaris</i>	(74):36
<i>grandiflora</i> , <i>Erica</i>	(76):13
'Grandiflora', <i>E. cinerea</i>	(75):8
'Grasmerensis', <i>Calluna vulgaris</i>	(74):36
Grass v. Heathers	(73):11,13
GRAY, Dr V.	(81):9-11
'G. Rendall', <i>E. x darleyensis</i>	(79):60
'Grey Carpet', <i>Calluna vulgaris</i>	(79):47
Grey Garden at Leicester University	(82):9
GRIFFITHS, Dr J.	(81):65-68
'Grizzly', <i>Calluna vulgaris</i>	(79):47

"G. Stevens", <i>E. x darleyensis</i>	(80):67
'Guernsey Lime', <i>E. cinerea</i>	(74):36
'Guernsey Pink', <i>E. cinerea</i>	(74):36
'Guernsey Plum', <i>E. cinerea</i>	(74):36
'Guernsey Purple', <i>E. cinerea</i>	(74):36
'Guinea Gold', <i>Calluna vulgaris</i>	(81):72;(82):12
<i>Gunnera tinctoria</i>	(76):18
'Gwavas', <i>E. x williamsii</i>	(74):36;(82):5,54
'Gwen', <i>E. x watsonii</i>	(78):15;(82):58
'Gwen Whatmore', <i>E. cinerea</i>	(79):58
'Gwenda', <i>Calluna vulgaris</i>	(79):56
'Gwinear', <i>E. cinerea</i>	(74):36;(82):54
HAALBOOM, W.	(76):29
HALL, J.	(77):55
HAMER, F. & VICKERS, G.P.	(73):29-32
'Hamildon', <i>E. cinerea</i>	(82):54
'Hamlet Green', <i>Calluna vulgaris</i>	(79):47,59
'Hammondi Aurea', <i>Calluna vulgaris</i>	(82):51
'Happy Sam', <i>Calluna vulgaris</i>	(79):57
HARDING, W.F.W.	(78):23-26
'Hardwick's Rose', <i>E. cinerea</i>	(79):56
'Harlequin', <i>Calluna vulgaris</i>	(77):19
Harlow Car	(73):7;(76):7,40-43
Aid to Naming	(73):18
Book Review	(77):55
Labelling	(73):18
Method at	(73):18
Nomenclature	(73):18
Object of	(76):40-41
Origin of	(79):7
Pruning Trials	(76):42
Reference Collection	(80):4
Trials	(73):18;(76):42
Winter Damage	(80):9-14
Use of Black Polythene at	(81):63-65
HARPER, P.	(73):20-22
'Harpering', <i>Calluna vulgaris</i>	(74):36
'Harris Tweed', <i>Calluna vulgaris</i>	(76):57
'Harry Fulcher', <i>E. cinerea</i>	(82):49
'Harten's Finding', <i>Calluna vulgaris</i>	(76):55;(77):19
'Harry Gibbon', <i>Calluna vulgaris</i>	(80):65;(81):74
HAYDEN, Mrs. R.	(76):6,11-14;(82):8-10
Heather Beetle (<i>Lochmaea suturalis</i>)	(78):25;(80):7;(81):23-28
Heather - feeding Psyllids	(82):28-31
(<i>Strophingia</i>)	
Heather Gardening	
History of	(78):13;(81):14; (82):50-59

Heather Gardens:

1. Around London (75):19-21
2. Richmond Park (76):45-47
3. Windsor (77):12-15
4. Royal Botanic Gardens, Kew (78):46-49
5. Wakehurst Place (79):10-13
6. Champs Hill, Coldwaltham, Sussex (80):25
7. RHS Wisley (81):14-17
8. Military Cemetery, Brookwood (82):20-23
- Edinburgh Botanic Garden (74):20-22
- Leicester University (82):9

Heather Gardens

- Ageing of (81):9-11
- in Alkaline districts (77):38-40;(79):15-18
- on Clay soils (74):11-13;(79):15-18;
- (80):29-32
- effective Display (78):48
- Edging, use of (74):19
- an Evergreen Garden (80):29-32
- Evolution of a garden (76):8-11
- Garden Design with heathers (80):8
- in Germany (77):18;(78):19-21
- Making a heather garden (73):25-26;(74):11-13,
- 23-25;(77):43-45;(80):26;
- (81):7-9
- Planting a heather garden (73):9-14;(75):25-26;
- (79):15-18;(81):7-9;(82):9
- Reference books (73):25-26;(75):21-22;(78)
- (78):29-31,64;(79):4,25-27;
- (79):24-5

Re-planting cycles in

- at Kew (78):47
- at Hindhead (81):9-11
- at Wisley (81):16-17

Sandy soils (80):26;(81):7-9;(81):14

Semi-formal Garden (74):17-19

HEATHER SOCIETY, The

- Administrator of (82):8
- A.G.M. (72):1;(74):6-8;(77):6;(80):7

Annual Conference

- 1972 Westham House (First) (73):6-8
- 1973 Dartington Hall (74):24-28,pls. 1 & 4
- 1974 Stirling (75):5;(76):7
- 1975 Moor Park, Farnham (76):4,4-7,7-8
- 1976 Plas Tanybwllch, Maentwrog (77):7-9,28,33
- 1977 Norwich (78):11-12, photo p.35
- 1978 Losehill Hall (79):7-10
- 1979 Weymouth (80):5-8
- 1980 Edinburgh (81):5-6
- 1981 Loughborough University (82):8-10
- Aim of Conference (74):26;(79):5

Heather Society, The (Continued)

Branches, formation of	(72):1; see also under local groups
Bulletin, function of	(81):4;(82):1
Chairman	
(1971-77:Mr A.H.Bowerman)	(75):4-5;(76):4-5;(77):5;
	(78):3,10
(1978:Maj.-Gen.P.G.Turpin)	(79):4-5;(80):4-5;(81):4-5;
	(82):4-5
Circulation of Yearbooks	(76):31
Committee Members	
Lists of	(75):40;(76):63;(77):54;
	(78):56;(79):69-70;(80):80;
	(81):82;(82):67
Editorial comment on	(79):1
Communication within Society	(81):4
Development of	see under Formation of
Editorial	
A. J. Stow	(77):3-4;(78):3-4
A. W. Jones	(79):1-2;(80):4-3;(81):3-4;
	(82):1-4
Formation of (20th Feb.1963)	(73):2;(76):3-4;(77):5;
	(78):3,5,8-9,10;(79):2-3;(80):3
Growth of	(74):3;(77):2;(79):2,5;(82):6
Heather Registration Authority	(72):2;(73):18-19;(78):26-31;
	(79):3-4
Local Groups	(79):6;(81):4
Guidelines for formation of	(74):2
List of Organisers/Convenors	(75):48;(76):62;(77):54;
	(78):55-6;(79):69;(80):79-80;
	(81):81-82;(82):66-67
Midlands Group	(75):30-31;(76):32;(82):8-10
Mid-Southern Group	(76):33-34;(77):22-23,24
necessity for	(75):29;(81):4-5;(82):7
Norfolk Group	(75):31-32;(76):32;(78):7-10
Northern Group	(75):29-30;(76):30-31
reports from	(75):29-33
South-West Group	(75):32;(76):34
Weald & Thanet Group	(76):32;(77):30
West of Scotland Group	(72):1;(75):30;(76):30
Members, list of	(72):43-56(Dec 1971);(73):46-60
	(Dec 1972);(74):39-54 (Dec 1973)
Membership figures	(72):2(=880);(79):5(=1070);(82):6
	(=1377)
Members Gardens: Visitors Welcome	(75):47-48;(76):61-62;(77):54
Midland Group	(75):30-31;(76):32;(82):8-10
Mid-Southern Group	(76):33-34;(77):22-23,24
National Reference Collection	(79):1,3;(80):4

Heather Society, The (Continued)

Norfolk Group	(75):31-32;(76):32;(78):7-10
Northern Group	(75):29-30;(76):30-31
Nurserymen members	(74):5-6;61-65;(75):46-47; (76):59-61;(77):52-53;(78): 54-5;(79):45-69;(80):76-79; (81):78-81
Officers of	(72):1;(73):i;(74):i;(75):i;(76): 1,6;(77):1,6;(78):1,3,10;(79):i; (80):1,80;(82):1,67 see also under Committee (73):2-3;(78):3,5,8-9,10
Pioneers of	
President	
F. J. Chapple (First)	(73):1-3
Sir John Charrington	(74):3-4;(75):4;(76):3-4
C. D. Brickell	(79):1,2-3,4;(81):17
Publications of Society	see under Bulletin & Yearbook
function of	(81):4;(82):1
R.H.S. Displays	(72):1;(81):4
Secretary	
Mrs. C.I. MacLeod (1963-77)	(72):1-2;(74):4-6
Mrs. Pamela Lee (1978 -)	(79):5-6;(82):6-8
Slide Librarian	
H. C. Prew	(74):1
Neil Brummage	(79):2
Slide Library	(81):69-70
South-West Group	(75):32;(76):34
Technical Committee	(75):32-33;(80):70-72,80;(81):3,82; (82):67
Technical reports	(74):34
Treasurer's Report	
E. R. Turner (1972-1977)	(73):6;(74):2-3;(76):5
Visitors Welcome to Member's Gardens	(75):47-48;(76):61-62;(77):54
Weald & Thanet Group	(76):32;(77):24
Weekend Conferences	see under Annual Conference
Grantley Hall	(72):1;(79):7
West of Scotland Group	(72):1;(75):30;(76):30
Yearbook	
function of	(81):4;(82):1
circulation to new members	(76):30-31
Heather societies, world-wide	(80):3
Ericultura (Nederlandse Heidevereniging)	(79):4
Gesellschaft der Heidefreunde	(78):19-21;(79):4
The Pacific Northwest Heather Society	(80):3;(82):42
Heather Wine	(82):25-26
'Heather Yates', <i>Daboecia cantabrica</i>	(79):58

HEATHERS

- Aberrations in heathers (82):33
- Ageing in Heather; replacement of (81):8,9-11
- Bark, Pulverised use for (78):52-53
- Beauty of Heather (80):4-5
- Bibliography of Heather see MCCLINTOCK, D. under Recent Writings
- of Mycorrhiza (81):38-39
 - of Irish Heaths (81):61-62
- Birds of Heathland (74):32
- Black Polythene Mulches (81):63-65
- Bud-flowering of (80):41-43,pl.4;(82):56
- Bulbs with Heather (75):10-12;(76):50-51
- calcifuge heathers (77):38-40
- Catalogues of Heather (78):13;(82):53
- Chromosome number in hybrids (79):40
- Commercial Heather growing (80):7;(81):3
- Competitions, RHS (79):6;(82):6
- Crossing forms of *Erica* (76):48-49
- Cultivars of
 - Codes for (78):27;(81):18,19
 - Irresponsible Naming of (81):3
 - Naming of (78):27-28
 - Preferred Cultivars, list of (81):3
 - Reference Collection of (80):70-72;(81):3
 - Selective Numbering for (80):37
 - Use of Latin Names (79):28;(80):45
- Cuttings of (76):20-23
 - of Cape Heaths (82):17
 - Conditions for (76):25
 - Establishment of (79):49-51
 - Fertiliser requirements of (79):50-51
 - Juvenility of (74):30
 - Nurserymen methods (77):23
 - Pruning of (79):54
 - Rooting of
 - (74):28-31,pls.2 & 3;
 - (75):36-41;(76):20-23
 - critical period (75):37-41
 - effect of hormones on (75):39-41
 - media for rooting (76):21;(79):50,52-53
 - Temperature, effect of (77):4
 - Optimum time for (74):30-31;(75):34;(76):21-25
 - Time for Potting-on (79):49
 - Use of Glass (76):21
 - Watering of (79):51
- Diagnostic Tests for distinguishing (79):38-46
 1. height (79):41
 2. anthers (79):41
 3. infra-foliar ridges (79):41
 4. coloured foliage (79):42
 5. pollen (79):42-43,pls. 2 & 3.

Heathers (continued)

- Disappearance of in Europe (74):15-17,31
- Die-back of see under *Phytophthora cinnamomi*
- Diseases of (77):20-22;(78):33;(79):30-33
- Double-flowered forms (77):25-32,37;(82):4,32-33
- Drought (73):14;(76):4,8;(77):3,5,41-43, 43-45,45-47;(78):43-44
- Dry summer 1975 (76):10
 - 1976 (77):41-43;43-45;45-47
- Effect of House Walls (77):46
- Poor Flowering in (77):41-46
- Survival in (77):42
- Treatment after (78):43
- Dwarf heathers (74):5-6;(75):34
- Epsom salts, use of (77):39
- Exhibiting heathers (75):17-18
- Exploring for heathers (81):4-5,52-56
- Fertilisers, use of (79):50,53;(80):37
- Flowers of heathers (80):5
- Flower Arrangements of (76):14-15;44
- Flower Pressing (80):6
- Foliage Colour; intensifying of (80):15
- in France (78):17-19
- for the Freezer (76):44
- Fungicide (80):35-36
- Galls on heathers (81):21-22
- Geographical Names of see under McCLINTOCK, D. in Contents List
- in Germany (74):17;(77):18-20;(78):19-21
- Grass versus Heather (73):11,13
- Grey-foliage forms (75):34;(76):43
- Grouping of Heathers (78):48;(79):15-18;(80):30
- Habitat change in colour/form (75):34
- in Hebrides (73):9-14
- Hedging (74):12,19;(80):70
- History of Heather Growing (78):13;(81):14;(82):50-59
- Hoeing (76):51
- Hybrids see under *Erica x*;(79):38-46; (80):70
- Hygiene for heathers (79):31-33
- International Registration Authority (72):2;(73):18-19;(78):28,30-31; (79):3,4,26,27-30
- Introductions, New see under J. PLATT in Contents List
- Irish Heathers, Bibliography of (81):61-62
- Irish localities (81):52-59
- on Isle of Coll (77):10-12
- in January (74):19
- Jiffy Pots, use of (79):52

Heathers (continued)

- Judging of (75):17-19
- Juvenility in Cuttings (74):30
- at Kew (78):46-49
- Lawn-mowing survival of heathers (74):18
- Late-flowering in (76):27;(82):35-36
- Lights, 'heather lights' (79):60
- Lime (79):15-18
 - addition for foliage colour (76):10
 - sensitivity of heathers (81):65-68
 - tolerant heathers (77):38-40;(80):66
- List of heathers (75):33;(76):52;(78):28-29;
(79):4,26
- Lochmaea suturalis* (Heather Beetle) (78):25;(80):7;(81):23-28
- Losses of (77):46;(80):9-24
- Manuring (80):32-36
- Mist Propagation (76):23-26
- Mixtures of heathers (76):21;(79):50,53-54
- Moving heathers (79):14,16,18
- Mulches (74):19;(78):52-53;(81):63-65
- Mycorrhiza (80):32-36;(81):29-46
- Naming Heathers (78):26-29;(79):4-5;(81):18-20;
(82):5
- National Reference Collection of (79):1,3;(80):4
- New Introductions of see Contents List under
J. PLATT
- Heather Nurserymen Members see under Nurserymen
- Old Age Heathers (74):10-11
- Parasites of (82):26-27,28-31
- Personal Names of see Contents List under
McCLINTOCK, D.
- Photography of (75):27-28
- Planting (74):21;(76):50-51
see also under Heather
Gardens
- Pocket Guide to (78):29-31
- Poems about (74):15-17
- Pollen (79):38-46,pls.2 & 3
- Popularity of (75):33;(76):52-53;(80):44
- Potting-on (79):49-50,52-53
- Preserving heather flowers (76):44
- Propagation of see under Propagation &
Cuttings
- Prostrate forms (74):4-7;(75):33;(82):12
- Pruning of see under Pruning
- Recent Writings On see under McCLINTOCK, D.
- Recovery of (80):13-14,15-17
- Red forms of (76):27 see also under 'Red'
- Reference Collection of (80):4,70-72

Heathers (continued)

- Reversion in (77):27,34;(79):33,pl.2 fig.1
 - Rooting of (74):28-31;(75):40;(77):40
 - cuttings (75):36-41;(76):20-23
 - hormones, use of (75):39-41;(76):23
 - on a Sandbank (81):7-9
 - Seaweed, use of (77):41
 - Seedlings of (73):32;37-40
 - Seeds (73):33,37-9
 - Sequestrene, use of (77):38
 - smallest heather (78):41
 - Snow Damage (80):9
 - Soil Depth of (73):13
 - Soil Preparation (77):46
 - Spraying (78):25
 - Sterility in (82):37
 - in Switzerland (77):24
 - Time for cuttings (76):21,25
 - Tree Heaths see under *E. arborea*;
E. lusitanica
 - Trials of (73):18-19;(75):32;
(76):36-37;40-43;(77):55
 - Tulips with heathers (76):50
 - in United States of America (73):15-17
 - Use of heathers
 - 'heather lights' (79):60
 - in Military Cemeteries (78):23-24;(82):21
 - heather wine (82):25-26
 - Variation in (82):4-5
 - Varietal names, use of (77):25-26,34
 - Water de-ioniser, use of (76):24
 - Watering of (77):44,47-48
 - on Water-logged soils (78):39
 - Weeds of (81):10
 - Wine Recipe (82):25-26
 - Winter Damage to (75):9;(80):3,4,9-14,15-17,
19-22,22-24;(82):18-19
 - Winter-flowering (73):9;(77):12;(78):48;(79):
38-46 see also under *E. carnea*
 - Year-round heathers (79):15-18
 - 'Heathfield', *E. cinerea* (74):36
- ## HEATHLAND
- Dartford Warblers (74):32
 - Ecology of (76):29-30
 - Natural Heathlands (79):2
 - Threats to (79):2

HEATHS

Balkan Heath
Besom Heath
Cape Heath
Cornish Heath
Corsican Heath
Cross-leaved Heath
Dorset Heath
Fine-leaved Heath
Irish Heath
Mackay's Heath
Mediterranean Heath
Mountain Heath
Portuguese Heath
St. Dabeoc's Heath
Scarlet-flowered Heath
Tree heaths

Winter Heath

'Heathwood', *E. carnea*

'H. E. Beale', *Calluna vulgaris*
(1st in Top Ten, 1976)

lime sensitivity of

Hebes

carpeters; dome-shaped;dwarf;
grey-foliaged; tall forms;
whipcords

Hebe

'Bowles Hybrid'

'Caledonia',

'Carl Teschner'

'Colwall'

'County Park'

'Cranleighensis'

'Dorothy Peach'

'E.B. Anderson'

'Edinensis'

'Great Orme'

'Highdownensis'

'Miss Lowe'

'Mrs. Windes'

'Pagei'

'Pewter Dome'

'Spendler's Seedling'

'Tricolor'

'Warleyensis'

Hebe albicans

Hebe alpina 'Golden Dome'

Hebe amplexicaulis

see under *Bruckenthalia spiculifolia*

see under *Erica scoparia*

see under Cape Heaths

see under *Erica vagans*

see under *E. terminalis*

see under *E. tetralix*

see under *E. ciliaris*

see under *E. cinerea*

see under *E. mediterranea*

see under *E. mackaiana*

see under *E. mediterranea*

see under *E. carnea*

see under *E. lusitanica*

see under *Daboecia cantabrica*

see under *E. coccinea*

see under *E. arborea* &

E. lusitanica

see under *E. carnea*

(74):36;(75):8

(73):17,29;(75):7,9;

(75):44,53;(77):25,35;

(78):15,24;(82):55

(81):68

(79):18-20

(79):20

(79):19

(79):19

(79):19

(79):19

(79):20

(79):20

(79):19

(79):19

(79):12

(79):20

(79):20

(79):20

(79):20

(79):20

(79):20

(79):20

(79):20

(79):20

(79):20

(79):20

<i>Hebe armstrongii</i>	(74):12;(79):19
<i>Hebe carnosula</i>	(79):19
<i>Hebe cupressoides</i>	(79):19
'Broughton Dome'	(79):19
<i>Hebe darwiniana (glaucophylla)</i> 'Variegata'	(79):20
<i>Hebe gracillima</i>	(79):15
<i>Hebe loganioides</i>	(79):19
<i>Hebe lycopodiodes</i>	(79):19
<i>Hebe ochracea (= armstrongii)</i>	(79):16,19
<i>Hebe pageii</i>	(79):12;(79):19
<i>Hebe pimeloides</i> 'Glaucocaeurulea'	(79):20
<i>Hebe pinguifolia</i>	(79):20
<i>Hebe rakaiensis</i>	(79):20
<i>Hebe (subalpina)</i>	(79):20
<i>Hebe vernicosa</i>	(79):20
Hebrides, heathers in	(73):9-14;(77):10-12
Hedging	(74):12,19;(80):70
Heidberg, Hamburg - Langenhirn	(77):19
'Heidberg', <i>Calluna vulgaris</i>	(74):10;(79):59
'Heidebrand', <i>E. cinerea</i>	(77):19
'Heidet Teppich', <i>Calluna vulgaris</i>	(77):19
'Heidzwerg', <i>Calluna vulgaris</i>	(74):16;(77):19
<i>herbacea, Erica</i>	(81):18,20;(82):24
'Herbert Mitchell', <i>Calluna vulgaris</i>	(78):40;(79):57
herbicides, use of	(81):64
'Hermann Dijkhuizen', <i>Calluna vulgaris</i>	(79):56
'Hershey's Late', <i>Calluna vulgaris</i>	(73):15;(76):55
'Hester', <i>Calluna vulgaris</i>	(76):55
'Hibernica', <i>Calluna vulgaris</i>	(74):36
'Hibernica', <i>E. erigena</i>	(74):36
'Hibernica Coccinea', <i>E. erigena</i>	(74):35
'Hibernica Praecox', <i>E. erigena</i>	(74):36
'Hidcote', <i>E. terminalis</i>	(74):36
'Hiemalis', <i>Calluna vulgaris</i>	(75):9
'Highland Rose', <i>Calluna vulgaris</i>	():
'Hilbrook Orange', <i>Calluna vulgaris</i>	(81):72,74
'Hilda Turberfield', <i>Calluna vulgaris</i>	(79):57
'Hilletje', <i>E. carnea</i>	(81):74
Hindhead, Surrey (Dr Violet Gray)	(81):9-11
Hirta, St. Kilda	(74):5-6
'Hirta', <i>Calluna vulgaris</i>	(74):6;(76):57;(82):22
<i>hirtiflora, Erica</i>	(74):9;(82):17-20
'H. Maxwell', <i>Erica x watsoni</i>	(75):8;(78):15
HODKINSON, Dr. I.	(82):28-31
Hoeing	(76):51
'Holden Pink', <i>Erica vagans</i>	(76):55
'Holebird', <i>E. australis</i>	(81):74
'Hollandia', <i>Calluna vulgaris</i>	(76):57

'Hollandria', <i>Calluna vulgaris</i>	(74):36
Holtan, Holland (Canadian War Cemetery)	(78):23-24,25;(82):21
'Honeymoon', <i>E. cinerea</i>	(75):13
'Hookstone', <i>Calluna vulgaris</i>	(74):36
'Hookstone Lavender', <i>E. cinerea</i>	(74):36;(75):8;(76):37
'Hookstone Purple', <i>Daboecia cantabrica</i>	(74):36;(77):40
'Hookstone Rose', <i>E. vagans</i>	(74):36
'Hookstone White', <i>E. cinerea</i>	(74):36;(75):14
HORNUNG, Hans	(74):15-17
'Hugh Nicholson', <i>Calluna vulgaris</i>	(82):12
HUMBLE, B.H.	(75):12-14
'Humoresque', <i>E. tetralix</i>	(77):51
'Humpty Dumpty', <i>Calluna vulgaris</i>	(82):12
<i>hybrida darleyensis</i> , <i>Erica</i>	(79):28
hybridisation of Heathers	(77):8
<i>hyemalis</i> hybrids, <i>Erica</i>	(73):14;(77):37
'Hyemalis Southcote', <i>Calluna vulgaris</i>	(75):43
Hygiene	(79):31-33
'Hypnoides', <i>Calluna vulgaris</i>	(77):15
'Ida M. Britten', <i>Erica vagans</i>	(76):54
'Ide's Double', <i>Calluna vulgaris</i>	(79):47,56
'Ilka', <i>Calluna vulgaris</i>	(79):56
'Ineke', <i>Calluna vulgaris</i>	(76):55
'Ingrid Bouter', <i>Calluna vulgaris</i>	(77):30,32
'Inschriach Bronze', <i>Calluna vilgaris</i>	(74):36;(76):27
Ireland, heathers in	(81):52-62,pl.4
at Ballinaboy	(81):56
at Carna	(81):57
at Carrickbawn	(81):54
in Connemara	(81):57-8;(82):34-37
at Craiggamore	(81):52,54
in Donegal	(81):53
in Errisbeg	(81):53
in Fermanagh	(81):54
in Galway	(81):54-55
in Londonderry	(81):53
at Lough Nacung	(81):53
at Lough Nalawney	(81):58
at Roundstone	(81):54-58
'Irish Dusk', <i>E. erigena</i>	(76):57;(79):17,39,45; (81):17,68
Irish Gardening & Horticulture	Book review (80):40-41
'Irish Lemon', <i>Erica x praegeri</i>	(74):36
'Irish Orange', <i>Erica x praegeri</i>	(74):36
'Irish Salmon', <i>E. erigena</i>	(74):36;(75):26;(77):15; (79):39,45
'Irish Silver', <i>E. erigena</i>	(77):51
Isle of Coll, Hebrides	(73):9-14;(77):10-12

'Islay Mist', <i>Calluna vulgaris</i>	(76):57
'Isobel Dickson', <i>Calluna vulgaris</i>	(76):54
'Isobel Frye', <i>Calluna vulgaris</i>	(79):56;(80):65
'Isobel Hughes', <i>Calluna vulgaris</i>	(77):30,32,49;(79):56
'Ivory', <i>E. erigena</i>	(78):44-45
'Jack Drake', <i>Daboecia x scotica</i> (6th in Top Ten, 1976)	(75):15-16;(76):53,54;(81):68
'Jack H. Brummage', <i>E. x darleyensis</i>	(75):39;(79):44
'Jack's Favourite', <i>Calluna vulgaris</i>	(79):56
'Jack Stitt', <i>E. x darleyensis</i>	(79):57
'James Backhouse', <i>E. carnea</i>	(76):36
'James McCluskey', <i>E. ciliaris</i>	(79):56
'Jan', <i>Calluna vulgaris</i>	(79):56
'Jan Dekker', <i>Calluna vulgaris</i>	(76):54;(78):40,46
'Janet', <i>E. cinerea</i>	(82):54
'Janet Warrilow', <i>E. cinerea</i>	(76):56
'Janice Chapman', <i>Calluna vulgaris</i>	(73):38;(82):12
Japan, Cape Heaths in	(74):8-9
'Japanese White', <i>Calluna vulgaris</i>	(82):47
'J. C. Fletcher', <i>E. vagans</i>	(80):66;(81):74
'Jennifer Anne', <i>E. carnea</i>	(75):39;(79):44
'Jenny', <i>Calluna vulgaris</i>	(76):55
'J. H. Hamilton', <i>Calluna vulgaris</i>	(75):9;(77):26,29;(78):15; (81):68;(82):56
Jiffy pots, use of	(79):52
'Jimmy Dyce', <i>Calluna vulgaris</i>	(76):55;(77):32
'Joan Sparkes', <i>Calluna vulgaris</i>	(77):30;(78):44;(82):12
'John Ardron', <i>E. cinerea</i>	(79):56
'John Eason', <i>E. cinerea</i>	(78):15;(82):56
'John Kampa', <i>E. carnea</i>	(76):55;(79):48
'John Simmerson', <i>Calluna vulgaris</i>	(79):57
'Johnson's Variety', <i>Calluna vulgaris</i>	(77):39
JONES, A.W.	(75):36-41;(76):34;(77):38-40; (78):13-17;(78):49-52;(79):33-34; 38-46;(80):17,23-24,59-64;(82):36
Book Reviews	(79):25-27;(80):38-40
Editorial	(79):1-2;(80):3-4;(81):3-4;(82):1-4
JONES, Mrs. D.	(77):7-9,33
JONES, Mrs Mary	(77):43-45
'Joseph's Coat', <i>Calluna vulgaris</i>	(78):46
'Joseph Murphy', <i>E. cinerea</i>	(76):56
'Joy Vanstone', <i>Calluna vulgaris</i>	(82):12
'Joyce Burfitt', <i>E. cinerea</i>	(82):56
JOYNER, P.L.	(78):21-23;(79):21-23;(80):18-19
Judas Tree (<i>Cercis siliquastrum</i>)	(76):9
Judging of Heathers	(75):17-19
JULIAN, T.A.	(80):16;(80):9-14;(81):63-65
'Julie Ann Platt', <i>Calluna vulgaris</i>	(79):57
<i>Juncus planifolius</i>	(81):57

<i>Juniperus communis</i> 'Compressa'	(73):41;(81):13
<i>Juniperus conferta</i>	(79):12
<i>Juniperus sabinia</i> 'Tamariscifolia'	(73):41
'J.W. Porter', <i>E. x darleyensis</i>	(79):41,44
<i>Kalmia angustifolia</i>	(77):18
<i>Kalmia</i> 'Clementine Churchill'	(73):21
'Karin Blum', <i>Calluna vulgaris</i>	(81):74;(82):47
'Kees Gouda', <i>Calluna vulgaris</i>	(81):74;(82):47
'Ken Underwood', <i>E. tetralix</i>	(74):24;(75):8
KERSHAW, Mrs Betty	(73):32-34
'Kewick', <i>Calluna vulgaris</i>	(76):57
'Kevernensis Alba', <i>E. vagans</i>	(74):36
Kew, heather garden at	(78):46-49
KIERSTEAD, S.	(80):15
'King George', <i>E. carnea</i>	(74):24;(75):7,8;(79):44; (81):16,19,68
'Kinlochruel', <i>Calluna vulgaris</i>	(74):36;(77):27,29,32;(81):16; (82):22
'Kirby White', <i>Calluna vulgaris</i>	(74):36
KIRCHER, F.	(77):19;(78):19-21
'Kirsty Anderson', <i>Calluna vulgaris</i>	(79):55
'Kit Hill', <i>Calluna vulgaris</i>	(74):36
KITCHEN, F.B.	(74):17-19
'Knaphill', <i>E. cinerea</i>	(74):36
'Knaphill Pink', <i>E. cinerea</i>	(74):36;(82):54
'Knaphill Rosea', <i>E. cinerea</i>	(74):36
'Knaphill Scarlet', <i>E. cinerea</i>	(74):37
'Knockomie', <i>E. x darleyensis</i>	(74):37
'Kramer's Rote', <i>Calluna vulgaris</i>	(82):47
<i>kruessmanniana</i> , <i>E. cinerea</i> var.	(82):57
'Kunzmann's Findling', <i>Calluna vulgaris</i>	(76):55
'Kuphaldtii', <i>Calluna vulgaris</i>	(77):19
'Kynance', <i>Calluna vulgaris</i>	(74):37;(78):15;(82):55
'Lady Maithe', <i>Calluna vulgaris</i>	(76):27,55
'Lammerburn', <i>Calluna vulgaris</i>	(74):37
'Lamb's Tails', <i>Calluna vulgaris</i>	(82):12
'L'Ancrese', <i>Calluna vulgaris</i>	(79):59
'Laphroig', <i>Calluna vulgaris</i>	(81):74
'Lankidden', <i>E. cinerea</i>	(74):37
Late-flowering heathers	(76):27;(82):35-36
<i>lazaroana</i> , <i>Erica</i> (= <i>E. arborea x umbellata</i>)	(76):55
LEAD, W.L.	(73):39-40
'Leaf Agnew', <i>E. cinerea</i>	(79):55
Leatherleaf	(73):21
Lebanon, heathers in	(80):45-55
LEE, Mrs Pamela B.	(76):33-34;(79):5-6;(82):6-8
<i>Leiophyllum buxifolium intricatum</i>	(73):21
<i>Leiophyllum buxifolium prostratum</i>	(73):21

'Leon', <i>Calluna vulgaris</i>	(79):59
<i>Leptospermum lanigerum</i>	(79):12
'Lesley Sparkes', <i>E. carnea</i>	(79):42,44;(82):12
LETTS, J.	(82):58
<i>libanotica</i> , <i>Erica sicula</i> ssp	(80):46,48,54,pl.3
'Lewis Lilac', <i>Calluna vulgaris</i>	(76):57
'Lilac Time', <i>E. cinerea</i>	(73):9
Lime & Heathers	(76):10,24;(77):38-40;(79):15-18
	(80):66;(81):65-68
'Limelight', <i>Erica x hyemalis</i>	(77):11
'Lime Soda', <i>E. cinerea</i>	(82):49
'Linford', <i>E. tetralix</i>	(76):57;(79):59
'Lionel Fortescue', <i>E. lusitanica</i>	(81):74
'Lionel Woolner', <i>E. scoparia</i>	(76):56
Literature on Heathers	see under McClintock, D.
	Recent Writings
Historical Works	
Aiton (1793):Miller (1759);	
Sinclair (1825)	(82):14-15;27-28
Poems referring to Heaths & Heathers	(74):15-17
'Little Anne', <i>E. cinerea</i>	(81):73,74
Little Frome, Fenny Drayton (G. Cooke)	(82):9
'Llanbedrog Pride', <i>Calluna vulgaris</i>	(76):57;(77):29,31,32
LLOYD, R.J.H.	(75):34
<i>Lochmaea suturalis</i> (Heather Beetle)	(78):25;(80):7;(81):23-28
'Loch na Seil', <i>Calluna vulgaris</i>	(74):37;(77):15
'Loch Turret', <i>Calluna vulgaris</i>	(74):37
'Logan House', <i>Calluna vulgaris</i>	(74):37
'Loganlea', <i>E. Cinerea</i>	(74):37
LONDON, B.G.	(72):37;(73):27-28;28;pl.4;
	(75):31-32;(76):32,51;(77):3;
	(79):1
'London Pride', <i>Calluna vulgaris</i>	(76):55
'Longfellow', <i>Calluna vulgaris</i>	(79):56
Long-flowered Heath (<i>E. longiflora</i>)	(76):13
'Long White', <i>Calluna vulgaris</i>	(82):22
<i>longiflora</i> , <i>Erica</i> - paper mosaic of	(76):13
LONS, Hermann (1866 - 1914)	(74):15
'Lorna - Anne Hutton', <i>E. cinerea</i>	(76):55
Loughborough University, Sept. 1981	(82):8-10
'Loughrigg', <i>E. carnea</i>	(74):37;(75):8
'Louise Fortescue', <i>E. lusitanica</i>	(81):74
Low Dutch Heath (<i>E. brabantica</i>)	(76):56
LUCAS - PHILLIPS, Brig. C.E.	(77):22-23;(78):32
LUMLEY, G.I.	(80):16-17
'Lumsdaine', <i>Calluna vulgaris</i>	(74):37
'Lumsdaine', <i>E. cinerea</i>	(74):37

<i>lusitanica</i> , <i>Erica</i>	(73):45;(74):37;(80):12
on alkaline soils	(77):39
features of	(79):35-38
pruning of	(73):31
at Windsor	(77):14
at Wisley	(81):17
Lusitanian Heathers	(80):23;(81):52-62
'Lüneburg Heath', <i>Calluna vulgaris</i>	(81):74
Lüneburger Heath	(74):15,17;(77):18
'Lyall's Late White,' <i>Calluna vulgaris</i>	(75):55
'Lyle', <i>Calluna vulgaris</i>	(76):27,55
'Lyonesse', <i>E. vagans</i>	(74):37;(75):7,8;(78):15; (82):22,55
'Macalla', <i>Calluna vulgaris</i>	(76):57
<i>mackaiana</i> , <i>Erica</i>	(77):42;(81):52-59;(82):32
MacKAY, A.	(77):47-48
MacLEOD, Mrs. C.I.	(73):34-36;(78):5-7;(79):6-7; (72):1-2;(73):4-6;(77):5; (78):3,8-9, photo p.36
Heather Society Secretary	(73):pl.1;(75):15-16;(77):25-37; (78):26-29; photo p.34-35; (79):27-30;(80):6,43-45;45-55; (81):48-51;(82):23-25;32-33, 37-42
Gazeteer of Heather Names	(73):42-44;(74):35-37;(75):42-44
Names of Heather cultivars	(72):33-36;(76):54-57;(79):55-60; (81):73-74;(72):42;(73):44-45; (74):37-38;(75):45;(76):58-59; (77):51-52;(78):57 & 54;(79):61-66; (80):72-76;(81):76-78;(82):59-62
Recent Writings on heathers	(73):26-27;(75):21-22;24-25;(76):29; 29-30;(78):53;(80):40-41;(81):18-20; (82):26
Book Reviews	(76):15-17;(81):48-51
Madeira	(75):42;(76):15-20;(81):48-51
<i>maderensis</i> , <i>Erica</i>	(75):42;(81):48-51
var. <i>maderensis</i> <i>E. cinerea</i>	(78):43-44;(80):6;(81):21-22; (82):26-27
MAGINESS, Mrs D.	(76):55
'Maginess Pink', <i>E. cinerea</i>	(80):55-59;(81):52-62,pl.4
MAGOR, Maj. E.W.M.	(74):35
'Mahogany', <i>E. cinerea</i>	(73):30;(76):44
'Mair's Variety', <i>Calluna vulgaris</i>	(73):14;(77):11
'Majestic', <i>Erica x hyemalis</i>	(76):50-51
MALIN, B.R.	(82):17,18
<i>mammosa</i> , <i>Erica</i>	(80):4,18-19
<i>manipuliflora</i> , <i>Erica</i>	(80):32-36
manuring heathers	(77):25
'Many-flowered', <i>Calluna vulgaris</i>	(76):36
'March seedling', <i>E. cinerea</i>	

'Margaret Porter', <i>E. x darleyensis</i>	(79):41
'Marie', <i>Calluna vulgaris</i>	(79):56
'Margaret Simmerson', <i>Calluna vulgaris</i>	(79):57
'Marilyn', <i>Calluna vulgaris</i>	(76):55;(80):42
'Marion Blum', <i>Calluna vulgaris</i>	(79):55;(81):72
'Marleen', <i>Calluna vulgaris</i>	(76):55;(80):42,pl.4
'Mary Grace', <i>E. tetralix</i>	(78):16;(82):58
MASSON, Francis (1741-1805)	(82):13-14
'Maura', <i>E. mackaiana</i>	(79):56;(81):57;(82):32,49
<i>mauritanica</i> , <i>Erica</i>	(74):9;(75):42;(77):12;(82):19
'Mauvelyn', <i>Calluna vulgaris</i>	(79):57
'Maweana', <i>E. ciliaris</i>	(73):21
<i>mawei</i> , <i>Erica</i>	(73):21
MAXWELL, D.F.	(77):26;(78):13-17
<i>The Low Road</i> (1927)	(78):14
Maxwell & Beale	(78):13-17;(82):54-58
introductions by	(78):14-17
'Mayfair', <i>Calluna vulgaris</i>	(75):42
'Mayfair White', <i>Erica carnea</i>	(73):21;(75):42
<i>mediterranea</i> , <i>Erica</i>	(73):32;(76):13
Mediterranean Heath	(76):13
<i>melanthera</i> , <i>Erica</i>	(74):8;(77):12
'Melbury White', <i>E. tetralix</i>	(75):42
'Mercedes Gold', <i>E. scoparia</i>	(79):59
'Merton Ruby', <i>E. carnea</i> (Error)	(75):42
METHENY, D.	(77):15-17;(80):4;(82):42-46
Methods for	
Cuttings	(76):20-23;(79):49-51
Mist Propagation	(76):23-26
'Michael Fletcher', <i>Calluna vulgaris</i>	(81):74
<i>Microbiota decussata</i>	(79):12
MILLER, Phillip (1759)	(82):27-28
'Minerva', <i>Calluna vulgaris</i>	(79):57
'Minima', <i>E. scoparia</i>	(79):29;(81):15
'Minima Smith's Variety', <i>Calluna vulgaris</i>	(73):15
'Minor', <i>E. scoparia</i>	(79):30
'Minty', <i>Calluna vulgaris</i>	(76):55
'Miss Paddy', <i>Calluna vulgaris</i>	(76):56
'Mirelle', <i>Calluna vulgaris</i>	(81):74
'Miss Waterer', <i>E. vagans</i>	(82):54
Mist Propagation	(76):25-26
MIWA, Satoshi	(74):8-9
'Mizzen', <i>Calluna vulgaris</i>	(79):59
'Monstrosa', <i>Calluna vulgaris</i>	(77):25
Moor Park, Farnham, 1975	(76):4,5-7
MOORE, John	(82):16-20
MORGAN, Sir F	(72):11-13
MORRIS, Dr M G	(81):23-28
'Morvarid', <i>Calluna vulgaris</i>	(79):57
'Moss Morar', <i>Calluna vulgaris</i>	(79):59
'Mount Stewart', <i>E. australis</i>	(75):42

'Mousehole', <i>Calluna vulgaris</i>	(75):42
'Mr. Reeves', <i>E. x darleyensis</i>	(76):56
'Mr. Robert', <i>E. australis</i>	(77):14,16,39
'Mrs C.H. Gill', <i>E. ciliaris</i>	(75):8;(78):15
'Mrs D.F. Maxwell', <i>Erica vagans</i>	(75):7,8;(76):36,53;(78):15;
(2nd in Top Ten, 1976)	(82):55
lime sensitivity of	(81):68
'Mrs Dill', <i>E. cinerea</i>	(76):54
'Mrs E.A. Mitchell', <i>E. cinerea</i>	(79):48
'Mrs. E. Wilson', <i>Calluna vulgaris</i>	(77):32;(81):16
'Mrs H.V. Manning', <i>Daboecia x scotica</i>	(79):56
'Mrs J.H. Hamilton', <i>Calluna vulgaris</i>	(78):15
'Mrs Mitchell', <i>E. cinerea</i>	(76):55
Mrs Parris's Hybrid A, <i>E. x darleyensis</i>	(79):44
Mrs Parris's Hybrid C, <i>E. x darleyensis</i>	(79):44
'Mrs Pat', <i>Calluna vulgaris</i>	(74):24;(75):13,26;(78):15,44;
	(82):56
'Mrs R. Graham', <i>Calluna vulgaris</i>	(76):55
'Mrs R. Green', <i>Calluna vulgaris</i> (error)	(76):55
'Mrs Ronald Gray', <i>Calluna vulgaris</i>	(78):16
'Mrs S. Donaldson', <i>E. vagans</i>	(75):8
'Mulberry', <i>Calluna vulgaris</i>	(73):34
'Mullardoch', <i>Calluna vulgaris</i>	(76):57
'Mullion', <i>Calluna vulgaris</i>	(75):7,42;(78):15,24;(82):55
lime sensitivity of	(81):68
'Mulloch Mor', <i>Calluna vulgaris</i>	(76):57
'Multicolor', <i>Calluna vulgaris</i>	(74):18,24
'Multiflora', <i>Calluna vulgaris</i>	(77):25
<i>multiflora</i> , <i>Erica</i> : paper mosaic of	(76):13
'Multiplex', <i>Calluna vulgaris</i>	(77):25
'"multisepala"', <i>Calluna vulgaris</i>	(77):30
'My Dream', <i>Calluna vulgaris</i>	(77):8,25,32;(78):12;(81):16;
	(82):9,22
'My Love', <i>E. cinerea</i>	(76):37
Mulches	(74):19
Black Polythene, use of	(81):63-65
Pulverised Bark	(78):52-53
'Mulfra', <i>E. cinerea</i>	(75):42;(82):54
'Murcar', <i>E. cinerea</i>	(76):57;(79):59
Mycorrhiza	
bibliography of	(81):38-39
in Cape Heaths	(81):35-36
Categories of	(81):40-41
effect on Growth	(81):32
Experiments in	(81):32-35,42-43
Fungus identification of	(81):30-31
Historical studies of	(81):29
need for	(80):32-36;(81):28-43 pls.
influence on Nutrients	(81):37
'Myretoun Jewel', <i>E. carnea</i>	(75):42
'Myretoun Ruby', <i>E. carnea</i>	(74):24;(75):42;(77):13;
	(79):41,44;(81):68

'Nacung', <i>E. x praegeri</i>	(75):42
Naming heathers	(78):26-29;(79):4-5;(81):18-20; (82):5
A Guide to Naming Plants	(81):18-20
<i>nana</i> , <i>E. scoparia</i>	(74):14;(79):29
'Nance', <i>E. cinerea</i>	(75):42;(82):54
<i>Narcissus</i> with heathers	(76):50
'Nassau', <i>Calluna vulgaris</i>	(75):42
National Reference Collection	(79):1,3;(80):4
'Naturpark', <i>Calluna vulgaris</i>	(75):42;(82):48
Nederlandse Heidevereniging	(79):4
'Ericultura'	
'Nellie Dawson', <i>E. cinerea</i>	(79):56;(82):49
NELSON, Dr. E.C.	(81):18-28;(82):34
'Newick Lilac', <i>E. cinerea</i>	(75):42;(76):37
'Next Best', <i>E. cinerea</i>	(81):73
NICHOLSON, H.L.	(72):25-27;(82):10-12
'Nicola', <i>Calluna vulgaris</i>	(76):56
'Ninnes', <i>E. cinerea</i>	(75):42
Nomenclature	
See References	
1. International Code of Botanical Nomenclature	
2. International Code of the Nomenclature of Cultivated Plants	
3. McClintock, D., <i>A Guide to the Naming of Plants</i>	(76):54;(77):25-26,34;(78):26-29; (79):28;(81):18-20;(82):23-25
'Norden', <i>E. ciliaris</i>	(78):15;(79):59;(80):59-64
'Novar', <i>E. cinerea</i>	(77):49
<i>numidica</i> , <i>E. cinerea</i> var.	(75):42
Nurseries	
Backhouse	(78):13
Brien(Pitcairngreen)	(78):45
Brummage	(78):12
Davis (Haslemere)	(76):8-11;(78):45
Dorset Nursery	(78):13-14
Hardwick (Newick)	(78):44-45
Maxwell & Beale	(78):13-17
Osmond (Wickwar)	(78):46
in France	(78):17-19
in Germany	(77):19;(82):15
Nurserymen (heathers)	(73):2,5-6;(77):22-23
early nurserymen	(82):14-15;50-59
<i>Phytophthora</i> - free certificates	(77):22
Nurserymen Members of Heather Society	
Lists of	(74):56,61-65;(75):46-47;(76):59- (77):52-53;(78):54-55;(79):65-69 (80):76-79;(81):78-81;(82):63-66

<i>oatesii</i> , <i>Erica</i>	(73):14;(77):12
Obituaries; memoriam; valediction etc.	(73):1-3;(74):1;(75):1-3;(78):5-7; (79):6-7;(82):10-12
<i>occidentalis</i> , <i>Erica</i>	(76):57
'October Crimson', <i>Calluna vulgaris</i>	(82):12
'Oiseval', <i>Calluna vulgaris</i>	(76):57
<i>olbiensis</i> , <i>Calluna</i>	(75):42
'Olive Cowan', <i>Calluna vulgaris</i>	(81):74
'Olive Turner', <i>Calluna vulgaris</i>	(76):56;(79):47;(81):71
<i>olympica</i> , <i>Erica</i>	(76):57
'Orange Max', <i>Calluna vulgaris</i>	(79):47,57
'Orange Queen', <i>Calluna vulgaris</i>	(75):9;(82):12
Ornamental Shrubs	(82):26
OSMOND, G.	(82):58
<i>Otanthus (Diotis) maritimus</i>	(81):59
'Oxabach Carpet', <i>Calluna vulgaris</i>	(78):40;(79):59
'Oxshott Common', <i>Calluna vulgaris</i>	(75):42
<i>Ozothamnus rosmarinifolius</i>	(79):12
Pacific North-West Heather Society	(80):3,16;(82):42
<i>pageana</i> , <i>Erica</i>	(73):12;(79):22;(82):19
"Pallida", use of varietal name	(77):26
'Pallida', <i>E. cinerea</i>	(78):14
'Pallida', <i>E. vagans</i>	(81):68
Paper mosaicks of Heathers	(76):12-13
Parahebes	(79):18-20
<i>Parahebe carractae</i>	(79):18
<i>Parahebe decora</i>	(79):18
<i>Parahebe lyalli</i>	(79):18
PARRIS, Mrs. A.	(74):11-13;(76):48-49;(77):10, photo.p.28;(78):42-43;(80):67-70 (81):3-4,75
'Parson's Gold', <i>Calluna vulgaris</i>	(79):47,57
'Parson's Grey Selected', <i>Calluna vulgaris</i>	(79):47
'Parson's Spectrum', <i>Calluna vulgaris</i>	(76):56;(79):47
Patchwork effect of Heathers	(77):4
<i>patersonia</i> , <i>Erica</i>	(73):35;(74):9;(82):17-19
PATRICK, L.B.	(74):23-25
PATRICK, P.S.	(73):25-26;(75):pl.3;(78):14; (82):55-56
'P.D. Williams', <i>E. x watsonii</i> (error)	(75):8
'P.D. Williams', <i>E. x williamsii</i>	(81):68
<i>peltata</i> , <i>Erica</i>	(82):17,18
'Penaz', <i>E. cinerea</i>	(79):57
'Penhale', <i>Calluna vulgaris</i>	(75):42;(78):15;(79):29;(82):55
<i>pennsylvanica</i> , <i>Daboecia</i>	(75):42
'Penny Bun', <i>Calluna vulgaris</i>	(76):56
<i>Pentapera</i>	(80):45
'Pentlandii', <i>Calluna vulgaris</i>	(75):42;(79):29
'Pentreath', <i>E. cinerea</i>	(75):42;(82):54

'Pepper & Salt', <i>Calluna vulgaris</i>	(81):72
<i>Pernettya</i>	(81):15
Personal Names used for Heathers	See under McClintock, D.
<i>perspicua</i> , <i>Erica</i>	(74):9
'Peter Sparkes', <i>Calluna vulgaris</i>	(76):44;(77):29,31;(81):68; (82):12
'Peter Sparkes Improved', <i>Calluna vulgaris</i>	(77):29,32,35-36
'Petra', <i>Calluna vulgaris</i>	(79):57
'Petroushka', <i>Calluna vulgaris</i>	(73):34
'Pewter Plate', <i>Calluna vulgaris</i>	(77):49
<i>peziza</i> , <i>Erica</i>	(74):9;(77):12
<i>Pezizella ericae</i>	(81):31,40
(Mycorrhizal fungus of heathers)	
<i>Phoma radicus</i>	(81):30
Phosphoric Acid, Use of	(75):35-36
Photography, of Heathers	(75):27-28
<i>Phyllodoce caerulea</i> , distribution of	(73):11
<i>Phyllodoce glanduliflora</i>	(73):11
<i>Phytophthora</i>	(73):21-22;(77):20-22; (78):32,38-39;(79):30-33,51
methods to combat	(73):22;(77):20-22;(78):32,38-9;
signs of	(77):20-21;(79):51
susceptibility of Heathers	(73):21-22;(78):38
use of etridiazole	(78):32
infection-free certificate need	(77):32
<i>Phytophthora cinnamomi</i>	(77):20-22;(78):32,37-39
<i>Picea abies</i> 'Gregoryana'	(73):41
<i>Picea glauca</i> 'Albertiana Conica'	(73):41
<i>Picea mariana</i> 'Nana'	(73):41
<i>Picea pungens</i> 'Prostrata'	(73):40
<i>pineae</i> , <i>Erica</i>	(73):36
<i>Pinus sylvestris</i> 'Aurea'	(74):19
<i>Pinus sylvestris</i> 'Beauvronensis'	(73):41
'Picos Pygmy', <i>Erica arborea</i>	(79):59
<i>Pieris</i> 'Forest Flame'	(74):12
<i>Pieris formosa</i> var. <i>forrestii</i> 'Wakehurst'	(79):12
<i>Pieris japonica</i> 'Wada'	(73):21
'Pink Beale', <i>Calluna vulgaris</i>	(77):31,34-35
'Pink Beauty', <i>Erica cinerea</i>	(78):44
'Pink Cecilia M. Beale', <i>Erica carnea</i>	(78):41
'Pink Glow', <i>Erica tetralix</i>	(78):15
'Pink Gown', <i>Calluna vulgaris</i>	(78):40
'Pink Ice', <i>Erica cinerea</i>	(73):9
'Pink Joy', <i>E. arborea</i>	(79):36-38
'Pink Joy', <i>E. x veitchii</i>	(79):36-38
'Pink Pearl', <i>E. carnea</i>	(79):44
'Pink Spangles', <i>E. carnea</i>	(74):24;(76):36,53;(79):40-42,44
(3rd in Top Ten, 1976)	

'Pink Star', <i>E. tetralix</i>	(74):24;(75):8
'Pirbright Pink', <i>E. carnea</i>	(75):42
'Pirbright Rose', <i>E. carnea</i>	(75):8;(82):48
Plant Labels	(77):9-10
Plants with Heathers	(78):24;see also Companions for Heathers
PLATT, J.	(77):48-51;(78):40-41;(79):46-49; (80):64-67;(81):71-73;(82):47-49
'Platt's Surprise', <i>Calluna vulgaris</i>	(77):27,32,49;(79):57
<i>platycodon</i> , <i>E. scoparia</i>	(76):20
'Plena', <i>Calluna vulgaris</i>	(77):25
'Plena', <i>Erica mackaiana</i>	(74):24;(75):8;(77):37;(80):5;6; (82):4
<i>plukeneti</i> , <i>Erica</i>	(82):13
Pocket Guide to Heather Gardening	(78):29-31
Poems, referring to Heathers	(74):15-17
'Polifolia', <i>Daboecia cantabrica</i>	(81):68
Pollen Grains	(79):38-46,pls. 2 & 3
'Poltesco', <i>E. cinerea</i>	(75):42
"Polypetala", <i>Calluna vulgaris</i>	(77):25
Porquerolles	(78):17
'Porter's Red', <i>E. carnea</i>	(79):57
<i>portosanctana</i> , <i>Erica</i>	(75):42
'Portugal', <i>Calluna vulgaris</i>	(75):42
Potting - on	(79):49,50,52-53
'Praecox Rubra', <i>E. carnea</i>	(74):18;(75):8;(79):44
<i>praegeri</i> , <i>E. x</i> (= <i>E. tetralix x E. mackaiana</i>)	(79):33
'Praegerae', <i>Daboecia</i>	(75):8
PREW, H.C.	(72):28-33;(74):1
'Prince of Wales', <i>E. carnea</i>	(75):8
"Prolifera", <i>Calluna vulgaris</i>	(77):2b
Propagation of Heathers	
Cuttings	(74):30-31;(75):34,36-41;(76):20-23,25; (77):4,23;(79):49-51,54;(82):17 ****
Layering	(76):23-26
Mist Propagation	(73):33,37-39
Seeds	(74):4-7;(75):33
Prostrate forms	(82):12
'Prostrate Orange', <i>Calluna vulgaris</i>	(76):57;(78):45
'Providence', <i>E. cinerea</i>	(73):29-32;pls.2 & 3;(74):22;(76):42-43
Pruning of Heathers	(73):30
Features of un-pruned heathers	(77):31-32
Pruning Chart	(74):22
Secateurs versus Shears	(73):20
Shade plantings	(73):30
Side-shoots	(73):30-32
Time for	(76):52
Tools for	(73):31;(77):14
Tree Heaths	(76):42-43
Trials of	

<i>Prunus tenella gessleriana</i>	(77):14
'P.S. Patrick', <i>E. cinerea</i>	(75):pl.2;(76):28;(78):15; (82):46,fig.56
Psyllids, feeding on heathers	(82):28-31
Pulborough, Coldwaltham, Sussex	(73):7;(76):6;(80):25-28
<i>pumila</i> , <i>E. scoparia</i>	(74):14;(79):29
'Purple Beauty', <i>E. cinerea</i>	(73):9
'Purple Plume', <i>Calluna vulgaris</i>	(77):49
'Purple Sandwood Bay', <i>Calluna vulgaris</i>	(77):49
'Purpurpolster', <i>Calluna vulgaris</i>	(77):19
'Putford Pink', <i>E. x darleyensis</i>	(79):59
'Pyrenaica', <i>Calluna vulgaris</i>	(75):43
'Pyrennes Pink', <i>E. vagans</i>	(75):43
Queen Margaret's College, Edinburgh 1980	(81):5-6
Quotations concerning Heathers	
Cobbett	(75):20
Kipling	(81):13
Leland	(81):17
Maund	(82):20
Scrope (1843)	(79):60
'Rachel', <i>E. x watsonii</i>	(78):15;(80):13;(82):58
RADLEY, R. & D.	(78):11-12,pls. 2 & 3
'Radnor', <i>Calluna vulgaris</i>	(75):43;(77):31
'Rainbow', <i>Daboecia cantabrica</i>	(77):50
'Ralph Purnell', <i>Calluna vulgaris</i>	(78):44;(82):12
'Rannoch', <i>Calluna vulgaris</i>	(75):43
'R. B. Cooke', <i>E. carnea</i>	(76):36;(79):55
READ, Dr D. J.	(81):28-43
Recent Writings on Heathers	1971=(72):42;1972=(73):44-45; 1973=(74):37-38;1974=(75):45; 1975=(76):58-59;1976=(77):51-52; 1977=(78):57 & 54;1978=(79):61-68; 1979=(80):72-76;1980=(81):76-78; 1981=(82):59-62
'Red Devon', <i>Calluna vulgaris</i>	(75):43
'Red Dragon', <i>Calluna vulgaris</i>	(73):34
'Red Max', <i>Calluna vulgaris</i>	(78):40;(79):57
'Red Pentreath', <i>E. cinerea</i>	(75):43
'Red Queen', <i>E. canaliculata</i>	(74):8
'Redriggs', <i>E. cinerea</i>	(73):39-40;(75):43
'Red Rover', <i>E. carnea</i>	(80):66
'Red Rug', <i>Calluna vulgaris</i>	(80):65
Reference Collection	
Harlow Car	(80):4;70-72
RHS	(79):1-3;(80):4
Registration Authority, Heather	(72):2;(73):18-19;(78):26-31; (79):3,4
Registration of Heather Names	(75):33;(78):26-31;(79):3;(81):73

Re-planting Cycle	
at Hindhead	(81):9-11
at Kew	(78):47
at Wisley	(81):16-17
Reversion of foliage	(77):27,34;(79):33,pl.2 fig.1
<i>Rhizoctonia</i>	(79):30-33
<i>Rhododendron lepidostylum</i>	(79):12
<i>Rhododendron semibarbatum</i>	(74):19
<i>Rhododendron thompsoni</i>	(76):9
RHS Awards	(72):45;(73):45;(79):6
'Rica', <i>Calluna vulgaris</i>	(74):16;(77):19,50
'Richard Cooper', <i>Calluna vulgaris</i>	(79):55;(80):65
RICHARDS, D.A.	(72):13-16;(76):15-20
Richmond Park, Surrey	(76):45-47
'Rigida', <i>Calluna vulgaris</i>	(73):16
'Rijneveld', <i>E. cinerea</i>	(79):59
<i>riojana</i> , <i>Erica</i>	(76):57
'Riverslea', <i>E. australis</i>	(75):43;(77):14,39
'Robert Chapman', <i>Calluna vulgaris</i>	(73):34,37-38;(74):12;(75):9,13;(77):39; (82):11,12
'Robert Michael', <i>E. cinerea</i>	(78):15;(82):58
ROCHEFOUCAULD, B. de la	(78):3,17-19
'Rock Ruth', <i>E. cinerea</i>	(76):56
'Roland Haagen', <i>Calluna vulgaris</i>	(76):55
'Roma', <i>Calluna vulgaris</i>	(75):43;(79):60
'Romiley', <i>E. cinerea</i>	(75):43
Rooting	
characteristics of heather rooting	(74):28-31;(77):40
cuttings	(75):36-41;(76):20-23
influences on	(75):40
use of hormones	(75):39-41;(76):23
'Rosalind', <i>Calluna vulgaris</i>	(73):43;(76):44
'Rosea', <i>E. cinerea</i>	(82):41-42
'Rosea Splendens', <i>E. cinerea</i>	(82):41-42
'Rosea', <i>E. tetralix</i>	(74):16
'Rosebud', <i>Calluna vulgaris</i>	(81):72
Ross Hutton', <i>Calluna vulgaris</i>	(76):37,55
Rosy Gem', <i>E. carnea</i>	(75):14
Rotundiflora', <i>E. ciliaris</i>	(80):59-64
'Roundhill', <i>E. australis</i>	(75):43
Roundstone, Connemara	(81):57-58;(82):34
'Rozanne Waterer', <i>E. cinerea</i>	(82):54
'Rubra Plena', <i>Calluna vulgaris</i>	(77):37
Rubra', <i>E. tetralix</i>	(75):8
Rubrifolia', <i>Calluna vulgaris</i>	(78):16
Ruby', <i>E. cinerea</i>	(78):15;(82):57
Ruby Glow', <i>E. carnea</i>	(75):39;(79):40,44;(82):45
Ruby's Variety', <i>E. tetralix</i>	(78):14;(82):57
Rufus', <i>E. tetralix</i>	(78):14

RUSS, V.	(76):41
'Ruth Sparkes', <i>Calluna vulgaris</i>	(77):27,30,34;(82):12
"Ruth Sparkes Improved", <i>Calluna vulgaris</i>	(77):27,30
'Ruth's Gold', <i>E. tetralix</i>	(81):74
St Dabeoc's Heath	see under <i>Daboecia cantabrica</i>
'St Keverne', <i>E. vagans</i>	(75):43
St Kilda Heaths	(74):4-7;(75):33;(76):28
'St Kilda Strain', <i>Calluna vulgaris</i>	(74):5-7
'St Kilda Whites', <i>Calluna vulgaris</i>	(79):59
'St Nick', <i>Calluna vulgaris</i>	(76):27;(78):46
'St Non', <i>Calluna vulgaris</i>	(75):43
'Salmon Leap', <i>Calluna vulgaris</i>	(77):49;(78):46;(82):12
'Salmonoides', <i>Calluna vulgaris</i>	(82):51
Sandwood, Cape Wraith	(74):4
'Sandwood Bay', <i>Calluna vulgaris</i>	(75):43
'Sandpit Hill', <i>E. cinerea</i>	(75):43;(76):28
'Sark Snowfall', <i>E. cinerea</i>	(76):57
SCANTLIN, H.M.	(75):22-24
Scarlet - flowered Heath (<i>E. coccinea</i>)	(76):13
<i>scoparia</i> , <i>Erica</i> (Besom Heath)	(74):13-15;(76):20
on alkaline soils	(77):39
forms of	(74):14;(79):29
in Madeira	(76):16
at Wisley	(81):15
'Scotch Mist', <i>Calluna vulgaris</i>	(75):43
'Schurig's Sensation', <i>Calluna vulgaris</i>	(77):19,29,32;(79):47,57;
	(82):47
<i>scotica</i> , <i>Andromeda</i>	(75):43
<i>scotica</i> , <i>Daboecia</i> x	(77):50
Seaweed products, use of	(77):41
'Sedlanov', <i>Calluna vulgaris</i>	(78):41;(79):59
Seedlings, Heather	(73):32,37-9,39-40
<i>selaginifolia</i> , <i>Erica</i>	(82):17,19,20
SELLERS, B.M.	(82):13-16
<i>sepaloides</i> , <i>Calluna vulgaris</i>	(77):30
<i>septentrionalis</i> , <i>Erica</i>	(76):57
Sequestrene, Use of	(77):38
'Serlei', <i>Calluna vulgaris</i>	(75):7
'Serlei Aurea', <i>Calluna vulgaris</i>	(73):29;(75):7,13;(77):19
'Serlei Lavender', <i>Calluna vulgaris</i>	(77):49
<i>sessiliflora</i> , <i>Erica</i>	(73):36
Sevenoaks, Kent	(74):17-19
'Sherwood Creeping', <i>E. carnea</i>	(75):43
'Sherwoodii', <i>E. carnea</i>	(75):43
'Sherwood White', <i>E. carnea</i>	(75):43
'Shetland Island', <i>E. tetralix</i>	(75):43;(70):41
Shrubs with Heathers	(78):24,49;(79):11,12
Sicily, heather in	See <i>E. sicula</i> below

<i>sicula</i> , <i>Erica</i>	(80):45-55
<i>sicula</i> ssp <i>cyrenaica</i>	(80):54-55
<i>sicula</i> ssp <i>libanotica</i>	(80):46,48,54,pl.3
<i>sicula</i> ssp <i>sicula</i>	(80):46-54,pl.2
'Silberschmelze', <i>Erica x darleyensis</i>	(75):7,8,14,25;(76):36;(77):19; (78):44;(79):11,12,40,44;(81):68
'Silver King', <i>Calluna vulgaris</i>	(78):15
'Silver Knight', <i>Calluna vulgaris</i>	(82):12
'Silver Queen', <i>Calluna vulgaris</i>	(76):26;(77):23
'Silver Sandra', <i>Calluna vulgaris</i>	(76):56;(78):41
'Silverwells', <i>Daboecia x</i>	(76):57
'Silverwells', <i>Daboecia x scotica</i>	(78):41
'Sinensis', <i>E. cinerea</i>	(75):43
'Sir John Charrington', <i>Calluna vulgaris</i>	(78):7;(82):11,12
'Sister Anne', <i>Calluna vulgaris</i>	(74):24;(75):13;(81):68
SKELMERSDALE, Lord	(75):10-12
'Skipper', <i>Calluna vulgaris</i>	(80):65
SLINGER, L.S.	(80):22
'Smart's Heath', <i>E. carnea</i>	(75):43
SMALL, David	(74):28-31;31-32
SMALL, D.J.	(75):35-36;(76):23-24;25-26;44-45; (79):30-33
SMALL, Ian	(76):7-8
SMALL, Dr. W.A.W.	(77):20-22
'Smith's Lawn', <i>E. cinerea</i>	(79):60
SMITH, James of Darley Dale	(82):50-51
SMITH, P.M.	(78):37-39
'Snowball', <i>E. x hyemalis</i>	(82):19
'Snow Cream', <i>E. cinerea</i>	(82):12
'Snowdon', <i>Calluna vulgaris</i>	(75):43
'Snowdrift', <i>Daboecia</i>	(77):15
'Snowdrift', <i>Erica x darleyensis</i>	(79):48
'Snowflake', <i>Calluna vulgaris</i>	(81):16
'Snow Queen', <i>E. cinerea</i>	(79):44
'Soay', <i>Calluna vulgaris</i>	(74):6;(75):43;(76):57;(82):22
Soil depth & Heathers	(73):13
Soil preparation	(77):46
'Son of Cevennes', <i>E. cinerea</i>	(82):49
'Sonja', <i>Calluna vulgaris</i>	(81):74
South African Heaths	see under Cape Heaths
SPARKES, J.W.	(82):10-12
<i>speciosa</i> , <i>Erica</i>	(74):9;(82):17,18
Spike Heath	(81):16;(82):44
<i>splendens</i> , <i>Erica cinerea</i> var	(82):37-42
'Splendens', <i>E. cinerea</i>	(77):19;(82):39-42
synonymy with 'C.D. Eason'	(82):40-41
Spraying against Heather Beetle	(78):25
'Springbank', <i>Calluna vulgaris</i>	(79):48,59
'Spring Cottage Crimson', <i>E. carnea</i>	(79):59;(82):48

'Spring Cream', <i>Calluna vulgaris</i> (equal 6th in Top Ten, 1976)	(74):24;(76):53;(82):12
'Spring Torch', <i>Calluna vulgaris</i>	(74):24;(82):12
'Springwood Pink', <i>E. carnea</i>	(74):19;(75):8,43;(81):68
'Springwood White', <i>E. carnea</i> (Equal 4th in Top Ten, 1976)	(73):20,30;(75):8,14,39,43;(76):53; (77):23;(79):44;(81):16,68;(82):45
'Stapehill', <i>E. ciliaris</i>	(75):43
Steel, use of heather for cleaning	(73):45
STEELE, R.M.	(72):22-25
'Stella Felicity', <i>E. cinerea</i>	(79):57;(82):12
Sterility in heathers	
effect of late flowering)
in relict population) (82):37
self-incompatibility)
STEVENS, F.J.	(78):14;(80):21-22;(82):58
'Stoborough', <i>E. ciliaris</i>	(75):43;(78):15;(82):57
STOW, A.J.	(72):19-21;(73):6-8;(75):2-3,15,35; (76):52,52-53;(77):3-4;(78):3-4; 52-53;(79):7-10;(80):5-8
STOW, Mrs J.M.	(76):44
STREET, Harold	(75):30-31;(76):32;(79):15-18; (80):8;(81):12-13
<i>Strophingia</i> (Heather Psyllids)	(82):28-31
<i>Strophingia ericae</i>	(82):29
STROVER, Mrs E. D.	(76):34-40
'Stuartii', <i>Erica</i> (<i>E. tetralix</i> x <i>E. mackaiana</i>)	(75):8;(79):33-34,pl.2 fig.1; (80):13;(81):18,55,56,58,68
'Studland', <i>E. cinerea</i>	(75):43;(78):15;(82):57
'Summer Orange', <i>Calluna vulgaris</i>	(82):12
'Sunningdale', <i>Calluna vulgaris</i>	(75):43
'Sunset', <i>Calluna vulgaris</i>	(75):9;(82):12
'Superba', <i>E. mediterranea</i>	(73):30
'Superba', <i>E. erigena</i>	(73):45;(75):8;(79):45;(80):31
'Susan', <i>Calluna vulgaris</i>	(79):57
'Sutherland Late', <i>Calluna vulgaris</i>	(79):59
'Swabia', <i>Calluna vulgaris</i>	(75):43
Switzerland, Heathers in	(73):22-25
'Sylvia', <i>Calluna vulgaris</i>	(79):57
'Sylvie', <i>Calluna vulgaris</i>	(78):41
'Tabramhill', <i>Daboecia x scotica</i>	(77):49;(79):59
'Talisker', <i>Calluna vulgaris</i>	(76):57
'Taranto Purple', <i>E. cinerea</i>	(75):43
<i>taxifolia</i> , <i>Erica</i>	(77):12
TAYLOR, A.	(75):32-33
Technical Committee, Heather Society	(80):70-72
Tenerife, <i>E. scoparia</i>	(74):14
<i>terminalis</i> , <i>Erica</i> (Corsican Heath)	(73):24;(77):39;(79):17;(80):12; (81):17,50
'Terrick's Orange', <i>Calluna vulgaris</i>	(79):57
'Terschelling', <i>E. tetralix</i>	(78):41;(79):59

<i>tetralix</i> , <i>Erica</i> (Cross-leaved Heath)	(75):8;(78):49-52;(80):12;(81):52,
for cultivars see under <i>Erica</i>	53,56,58;(82):24,pl.1
anthers of	(82):24,pl.1
characters of	(78):50
hybrids x <i>ciliaris</i>	(78):49-52
in Ireland	(81):53,56,58
winter damage to	(80):12
'Thelma Woolner', <i>E. terminalis</i>	(74):25;(77):15
'Threipmuir', <i>Calluna vulgaris</i>	(75):43
<i>Thuja occidentalis</i> 'Aurea Nana'	(81):12
'Rheingold'	(73):41;(81):12
'Rogersii'	(73):41
'Thule White', <i>E. tetralix</i>	(75):43
'Tib', <i>Calluna vulgaris</i>	(77):30;(78):16;(81):68
'Tilford', <i>E. cinerea</i>	(75):44
"Timber Tops", Haslemere, Surrey	(76):8-11
Time for Cuttings	(74):30-31;(75):34;(76):21,25
Time for Pruning	(73):30-32
'Tiptree', <i>Calluna vulgaris</i>	(75):44
"tomentosa form", <i>Calluna vulgaris</i>	(75):34
'Tom Thumb', <i>Calluna vulgaris</i>	(78):16
'Tom Waterer', <i>E. cinerea</i>	(82):54
'Torogay', <i>Calluna vulgaris</i>	(77):49;(79):59
'Torrisdale Bay', <i>Calluna vulgaris</i>	(79):59
'Torulosa', <i>Calluna vulgaris</i>	(76):27
<i>transsilvanica</i> , <i>Erica</i>	(76):57
Treasurer's Report	(73):6;(74):2-3
Treatment of Ailing Heathers	(81):8
Tree Heaths	(73):31-32;(74):25;(76):46;
see also under <i>Erica arborea</i>	(77):14,42;(79):12,34-38;
& <i>E. lusitanica</i>	(81):10,15,22,24,44,46-47;
'Tremans', <i>Calluna vulgaris</i>	(75):44
'Tresco', <i>Calluna vulgaris</i>	(75):44
Trials: Behaviour of heathers	(73):18-19;(75):32;
See also under Harlow Car	(76):36-37;40-43;(77):55
Long term effects	(76):42
'Tricolorifolia', <i>Calluna vulgaris</i>	(82):51
<i>triflora</i> , <i>E. arborea</i>	(76):12
Trimming, seasonal	(75):23
'Trink II', <i>Calluna vulgaris</i>	(80):43
'Trinklet', <i>Calluna vulgaris</i>	(77):49
Trough Gardens, Conifers for	(73):41
'Truro', <i>E. x watsonii</i>	(75):44
<i>Tsuga canadensis</i> 'Minute'	(81):16
Tulip Tree	(76):9
Tulipa, with Heathers	(76):50
'Tully', <i>Daboecia</i>	(75):44
TURNER, A.S.	(73):37-39
TURNER, E.R. (Treasurer 1972-77)	(73):6;(74):2-3;(78):3,10,photo
	p.33

TURPIN, Maj.-Gen. P.G.
(Chairman 1978 -
Heather Gardens

Book Reviews
Heathers

'Tybesta Gold', *E. carnea*
Tynningham Gardens

umbellata, *Erica*

UNDERHILL, T.

'Underwoodii', *Calluna vulgaris*

'Underwood's Variety', *Calluna vulgaris*

U.S.A., Heathers in

Use, of Heathers

in Military Cemeteries

Steel processing

Wine

vagans, *Erica* (Cornish Heath)

For Cultivars see under *Erica*

'Valerie Proudley', *E. vagans*

'Valerie Smith', *E. vagans*

Varietal names, Use of

'Velvet Night', *E. cinerea*

VEITCH, James (1752-1837)

verticillata, *Erica*

vetonicae, *Erica*

VICKERS, G.P.

'Victoria', *Calluna vulgaris*

'Victoria', *E. cinerea*

'Violetta', *E. cinerea*

Virginia, U.S.A.; Heathers in

'Viridiflora', *E. vagans*

Visit of N.Z. Gardeners

'Visser's Fancy', *Calluna vulgaris*

'Vivellii', *E. carnea*

(Equal 6th in Top Ten, 1976)

'Vivienne Patricia', *E. cinerea*

vulgaris, *Calluna*

Wachtliella ericina (The Gall Midge)

Wakehurst Place, Sussex

'Waley's Red', *Daboecia cantabrica*

'Wanda', *E. carnea*

(78):10;(79):4-5;(80):4-5;(81):4-5;
pl.1;(82):4-5
(75):19-20;(76):45-47;(77):12-15;
(78):46-49;(79):10-13;(80):25-28;
(81):14-17;(82):20-22
(79):24-25;(80):37-38
(79):34-38;(80):41-43;(81):43-47;
(82):33-34
(80):66;(81):74
(81):5-6
(76):37;(77):14;(79):17;(80):12
(75):17-19
(75):9;(80):41,pl.4
(77):31,35
(73):20-22;15-17;(77):15-17
(79):60
(78):23-24;(82):21
(73):45
(82):25-26
(73):30-32;(74):16,25,29;(77):4,13,
(78):25;(79):13,17;(80):10,12-13;
(81):21-22,54;(82):33-34,22
(74):19;(81):68
(79):57;(81):73
(77):25-26,34
(76):28;(82):58
(82):51-52
(74):9;(77):12;(82):17-18
(79):59
(73):18-19;(74):25-28,33-34;(76):
36-37;(76):40-43;(77):55
(81):74
(78):15;(82):56
(77):19
(73):20-22
(82):5
(77):24-25
(76):56;(80):42,pl.4
(73):11,20;(75):7,8,14,39;
(76):36,53;(79):44
(73):9;(75):8;(76):37
See under *Calluna vulgaris*
(81):21-22
(79):10-13
(79):58;(82):48
(78):41;(79):42.44.58

WARNER, Ray	(82):10
WATERER, Miss Gertrude	(82):54
Waterer's Nurseries of Bagshot	(82):54
Water-logged soils	(78):39
Waterfall Veronica (<i>Parrahebe catarractae</i>)	(79):18
<i>watsonii</i> , <i>Erica</i> x	(80):7,57,58;(82):24,36-37
anthers of	(82):24
Weather	(76):4;(77):3-4;(82):18
Weed resistance of Heathers	(73):20
'Wentwood Red', <i>E. carnea</i>	(79):59
'West End', <i>E. cinerea</i>	(79):59
WESTERMANN, H.	(77):14-20
Westham House, 1972	(73):6-8
'Westphalia', <i>Calluna vulgaris</i>	(75):44
'Westwood Yellow', <i>E. carnea</i>	(81):74
'W. G. Notley', <i>E. cinerea</i>	(82):57
'White Bouquet', <i>Calluna vulgaris</i>	(77):30,32
'White Carpet', <i>Daboecia cantabrica</i>	(77):49
'White Dale', <i>E. cinerea</i>	(75):44;(78):45
White Dorset Heath	(80):55-59
'White Glow', <i>E. carnea</i>	(75):14;(76):36
'White Glow', <i>E. x darleyensis</i>	(79):12,40,42,44
'White Gown', <i>Calluna vulgaris</i>	(77):11
'White Lady', <i>E. vagans</i>	(77):51
'White Lawn', <i>Calluna vulgaris</i>	(79):48
'White Perfection', <i>E. x darleyensis</i>	(79):48
'White Spray', <i>Erica x hyemalis</i>	(77):11
'Whitehouse', <i>Calluna vulgaris</i>	(75):44
'Wickwar Flame', <i>Calluna vulgaris</i>	(75):44;(76):27;(78):46
'Wijnie', <i>Daboecia cantabrica</i>	(76):56;(82):48
'William Buchanan', <i>Daboecia</i> (<i>azorica</i> x <i>cantabrica</i>)	(74):18;(75):16;(76):37;(77):40,50
'William Buchanan', <i>Daboecia x scotica</i>	(81):68
'William Buchanan Gold', <i>Daboecia</i>	(78):45
'William Sloan', <i>E. tetralix</i>	(76):56
<i>williamsii</i> , <i>Erica</i> x (<i>E. tetralix</i> x <i>E. vagans</i>)	(73):24;(74):29;(80):13
'Will Ingwersen', <i>Calluna vulgaris</i>	(80):43-45
<i>wilmoreana</i> , <i>Erica</i> x	(77):37
WILSON, K.	(75):5-9
'Windebrooke', <i>E. cinerea</i>	(75):44
Windlesham Court, Surrey	(77):22-23
Windsor Great Park	(77):12-15
Wine, Recipe for Heather	(82):25-26
'Winifred Whiteley', <i>E. cinerea</i>	(78):15
'Winsley', <i>Calluna vulgaris</i>	(79):59
'Winter Beauty', <i>E. carnea</i>	(74):24;(75):11;(79):44
'Winter Chocolate', <i>Calluna vulgaris</i>	(82):12

Winter Damage to Heathers	(75):9
to Cape Heaths	(82):18-19
in 1962-63	(80):4,19-22
in 1978-79	(80):3,9-14,15-17,22-24;
mechanism of	(80):23-24
recovery from	(80):13-14
snow damage	(80):9
'Winter Fire', <i>Calluna vulgaris</i>	(81):72
Winter-flowering varieties of Heather	(73):9;(77):12;(78):48;(79):38-46;
(see also under <i>Erica carnea</i>)	(82):22
'Winter Gold', <i>E. carnea</i>	(81):72
Winter Heath	(82):23-25
'Winter Melody', <i>E. carnea</i>	(81):73
'Wishanger Pink', <i>E. australis</i>	(75):44;(77):15
Wisley, RHS Heather Garden	(81):14-17
'Wittmorr', <i>Calluna vulgaris</i>	(81):74
'Wm. M'Alla', <i>E. mackaiana</i>	(76):55
'Wood Close', <i>Calluna vulgaris</i>	(75):44
WOOLNER, Lionel R.	(74):13-15
'W. T. Rackliff', <i>E. mediterranea</i>	(74):19
'W. T. Rackliff', <i>E. erigena</i>	(73):45;(75):8;(76):48-49;(78):16,4;
	(79):12,40,43,45;(82):58
<i>x carnea</i>	(78):42;(80):67-70
lime sensitivity of	(81):68
'W. T. Rackliff' x 'Springwood Pink'	(78):42-43;(80):67-70
'Wych', <i>E. ciliaris</i>	(75):44;(78):15;(82):57
YATES, G.	(74):33-34;(77):41,45-47;
	(78):29-31,64;(79):4,13-14,25-27
Yearbook of Heather Society	
function of	(82):1
future plans	(82):8
Year-round heathers	(79):15-18
'Yvonne', <i>E. cinerea</i>	(79):58
'Yvonne Claire', <i>Calluna vulgaris</i>	(79):58
'Zennor', <i>E. cinerea</i>	(75):44;(82):54

